Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

DECK LOG-TITLE PAGE
NAVPERS 716 (Rev. 4-56)

DECK LOG BOOK

OF THE

U.S.S. ABNAKI

ATF 96
IDENTIFICATION NUMBER

COMMANDED BY

Lieutenant James R. Williams, U. S. N.

Attached to
- _____ Division,
- SERVICE SQUADRON FIVE Squadron,
- _____ Flotilla,
- SERVICE FORCE, U.S. PACFIC Fleet,
- FOURTEENTH Naval District,

Commencing +10 1 August, 19 64,
(zone time and date)

at Pearl Harbor, Hawaii,
(location)

and ending +10 31 August, 19 64,
(zone time and date)

at Pearl Harbor, Hawaii
(location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVY—PEARL HARBOR, T. H.

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP _____ _____ , 19____
(Day) (Date) (Month)

APPROVED:

_____ U.S.N. COMMANDING

EXAMINED:

_____ U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10W DATE Saturday (Day) 1 (Date) August (Month), 19 64

AT/~~PASSAGE~~ FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	3	10	BW	2989	78	73	6	2000	Cu			
02	040	2	10	SCT	2989	78	73	4	2000	Cu			
03	040	3	10	SCT	2988	78	73	4	2000	Cu			
04	040	2	10	SCT	2988	78	73	4	2000	Cu			
05	040	2	10	SCT	2988	78	73	4	2000	Cu			
06	040	1	10	SCT	2988	78	73	4	2000	Cu			
07	040	1	10	SCT	2988	79	74	3	2000	Cu			
08	040	1	10	SCT	2994	80	75	3	2000	Cu			
09	040	1	10	SCT	2996	84	76	3	2000	Cu			
10	040	1	10	SCT	2994	85	78	3	2000	Cu			
11	040	1	10	SCT	2994	86	79	3	2000	Cu			
12	040	1	10	SCT	2990	86	79	4	2000	Cu			
13	040	1	10	SCT	2990	89	81	4	2000	Cu			
14	040	1	10	SCT	2990	89	81	4	2000	Cu			
15	040	1	10	SCT	2990	89	81	4	2000	Cu			
16	040	5	10	SCT	2989	90	80	4	2000	Cu			
17	040	5	10	SCT	2990	86	79	4	1800	ST			
18	040	5	10	SCT	2993	81	79	4	1800	ST			
19	040	5	4	RW	2994	80	79	6	1800	ST			
20	040	4	4	RW	2995	80	78	6	1800	ST			
21	040	4	4	RW	2996	79	77	6	1800	ST			
22	040	5	10	SCT	2997	79	76	4	1800	ST			
23	040	5	10	SCT	2998	79	75	4	2000	Cu			
24	040	5	10	SCT	2998	79	75	4	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 629

REMARKS

00-04 Moored starboard side to in berth Alfa Six (A-6) US Naval Base Pearl Harbor, Hawaii with standard mooring lines doubled. Material Condition yoke modified is set. Receiving telephone and potable water services from the pier. 7 ships present including various units of the US Pacific Fleet, District and Yard Craft. SOPA is CinCPac Flt.

Ens C. P. McKenzie, USNR

04-08 Moored as before. 0745 Mustered the crew on stations. Absentees: None.

Ens C. P. McKenzie, USNR

APPROVED: Lt. C C Reed U.S.N. COMMANDING

EXAMINED: Glyn D Nason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) SATURDAY (Day) 1 (Date) Aug (Month), 1964

08-12 Moored as before. 0805 Made daily inspection of magazine conditions normal.

Sgt RS Mason, USNR.

12-16. Moored as before.

Sgt RS Mason, USNR

16-20 Moored as befor. 1800 Set material condition York (Modified)

Sgt RS Mason, USNR

20-24 Moored as before.

Sgt RS Mason. USNR

APPROVED:

Lt. C C Reed U.S.N. COMMANDING

EXAMINED:

Sgt RS Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Chokai AVP-96 ZONE DESCRIPTION +10 DATE Sunday (Day) 2 (Date) August (Month), 19 64

AT/~~PASSAGE~~ FROM Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	5	10	SCT	2998	79	75	4	2000	Cu			
02	040	4	10	SCT	2998	78	73	4	2000	Cu			
03	040	2	10	SCT	2999	77	72	4	2000	Cu			
04	040	2	10	SCT	2999	74	71	3	2000	Cu			
05	040	2	10	SCT	2999	74	71	3	2000	Cu			
06	040	2	10	SCT	2999	74	71	3	2000	Cu			
07	040	2	10	SCT	2999	74	71	3	2000	Cu			
08	040	2	10	SCT	2998	76	73	3	2000	Cu			
09	040	2	10	SCT	2998	79	75	4	2000	Cu			
10	040	3	10	SCT	2999	80	76	4	2000	Cu			
11	040	3	10	SCT	2999	84	76	4	2000	Cu			
12	040	4	10	SCT	2996	88	78	3	2000	Cu			
13	040	3	10	SCT	2995	89	79	3	2000	Cu			
14	040	3	10	SCT	2995	89	80	3	2000	Cu			
15	040	3	10	SCT	2995	89	80	3	2000	Cu			
16	040	4	10	SCT	2993	89	80	3	2000	Cu			
17	040	4	10	SCT	2993	85	80	3	2000	Cu			
18	040	3	10	SCT	2992	84	79	3	2000	Cu			
19	040	4	10	SCT	2992	82	78	4	2000	Cu			
20	040	3	10	SCT	2998	81	76	4	2000	Cu			
21	040	2	10	SCT	3000	80	75	4	2000	Cu			
22	040	2	10	SCT	3001	80	75	4	2000	Cu			
23	040	3	10	SCT	3000	79	75	4	2000	Cu			
24	040	3	10	SCT	3000	79	75	4	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 206

REMARKS

00-04. Moored starboard side to berth A-6. US Naval Station, Pearl Harbor Hawaii. with standard mooring lines doubled. Material and water to be embarked is set. Receiving fresh water and telephone services from the pier. Ships present including various units of the U.S Pacific Fleet, and all destroyer craft and units of allied Navies. SOPA is CINPACFLT.

Stgn RS Mason, USNR

04-08 Moored as before. 0745 Mustered the crew on stations absentees none.

Stgn RS Mason, USNR

APPROVED:

Lt. CC Reed U.S.N. COMMANDING

EXAMINED:

Stgn RS Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY (Day) 2 (Date) AUGUST (Month), 64

08-12 MOORED AS BEFORE. 1025 Made daily inspection of magazines. Conditions; Normal.

CWO J.C. Hollis, USN

12-16 MOORED AS BEFORE.

CWO J.C. Hollis. USN

16-20 MOORED AS BEFORE. 1800 Lt material condition yoke (modified).

CWO J.C. Hollis, USN

20-24 MOORED AS BEFORE.

CWO J.C. Hollis, USN

APPROVED:

Lt. C.C. Reed U.S.N. COMMANDING

EXAMINED:

Lt(jg) R.S. Moore U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE MONDAY (Day), 3 (Date) AUGUST (Month), 19 64

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	5	10	SCT	2998	79	75	4	2000	Cu			
02	050	5	10	SCT	2998	78	74	4	2000	Cu			
03	050	5	10	SCT	2998	77	72	4	2000	Cu			
04	050	3	10	SCT	2999	77	71	4	2000	Cu			
05	050	3	10	SCT	2999	77	71	4	2000	Cu			
06	050	3	10	SCT	2999	77	71	4	2000	Cu			
07	050	3	10	SCT	2996	77	71	2	2000	Cu			
08	050	4	10	SCT	2997	77	71	2	2000	Cu			
09	050	3	10	SCT	2997	79	71	2	2000	Cu			
10	050	3	10	SCT	2997	81	74	2	2000	Cu			
11	050	3	10	SCT	2998	81	74	2	2000	Cu			
12	050	5	10	SCT	2997	84	74	2	2000	Cu			
13	050	5	10	SCT	2996	88	75	3	2000	Cu			
14	050	4	10	SCT	2994	90	76	3	2000	Cu			
15	050	4	10	SCT	2993	89	75	3	2000	Cu			
16	050	3	10	SCT	2992	88	74	3	2000	Cu			
17	050	3	10	SCT	2992	88	73	3	2000	Cu			
18	050	3	10	SCT	2991	87	73	3	2000	Cu			
19	050	1	10	SCT	2991	87	73	3	2000	Cu			
20	050	1	10	SCT	2992	85	75	3	2000	Cu			
21	050	3	10	SCT	2992	83	75	3	2000	Cu			
22	050	3	10	SCT	2992	82	74	3	2000	Cu			
23	050	2	10	SCT	2994	79	73	3	2000	Cu			
24	050	2	10	SCT	2997	79	71	3	2000	Cu			

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

0

FUEL CONSUMED 0000-2400

180

REMARKS

00-04 MOORED STARBOARD SIDE TO BERTH ALFA SIX (A-6) U.S. NAVAL STATION, PEARL HARBOR, HAWAII, WITH STD. MOORING LINES DOUBLED. MATERIAL CONDITION YOKE (MODIFIED) SET. RECEIVING POTABLE WATER AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET AND ALLIED NAVY UNITS, DISTRICT AND SMALL CRAFT. S.O.P.D. IS CINCPACFLT.

CWO J.C. Hollis, USN

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW ~~ON~~ AT QUARTERS. ABSENTEES: NONE.

CWO J.C. Hollis, USN

APPROVED: H.C.C. Reed U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Monday (Day) 3 (Date) August (Month) 19 64

08-12 Moored as before. 0925 Made daily inspection of magazines and Conditions: Normal. ZH

Ltjg JL Hall, USNR

12-16 Moored as before.

Ltjg JL Hall USNR

16-20 Moored as before. 1800 Set material condition Yoke (modified). Mustered the in-port fire party.

Ltjg JL Hall

20-24 Moored as before.

Ltjg JL Hall USNR

APPROVED: Lt. C. C. Reed U.S.N. COMMANDING

EXAMINED: Ltjg RS Nasa U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE Tuesday (Day) 4 August (Date) (Month), 19 64

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	080	3	10	Cl	2996	79	71	3	2000	Cu			
02	045	3	10	Cl	2994	78	72	3	2000	Cu			
03	045	3	10	Cl	2993	78	72	3	2000	Cu			
04	045	3	10	Cl	2993	78	72	3	2000	Cu			
05	045	3	10	Cl	2993	78	72	3	2000	Cu			
06	045	3	10	Cl	2993	76	72	3	2000	Cu			
07	045	2	10	Cl	2994	78	72	4	2000	Cu			
08	045	3	10	Cl	2995	78	72	4	2000	Cu			
09	045	3	10	Cl	2995	80	72	4	2000	Cu			
10	045	3	10	Cl	2998	85	73	4	2000	Cu			
11	045	3	10	Cl	2998	87	75	4	2000	Cu			
12	045	3	10	Cl	2998	88	75	4	2000	Cu			
13	045	3	10	Cl	2996	89	75	4	2000	Cu			
14	045	3	10	Cl	2995	89	75	4	2000	Cu			
15	045	2	10	Cl	2994	80	76	4	2000	Cu			
16	045	1	10	Cl	2994	80	76	4	2000	Cu			
17	045	1	10	Cl	2994	80	76	4	2000	Cu			
18	045	1	10	Cl	2993	84	76	4	2000	Cu			
19	045	1	10	Cl	2992	84	76	4	2000	Cu			
20	045	3	10	Cl	2995	81	73	4	2000	Cu			
21	045	4	10	Cl	2995	80	72	4	2000	Cu			
22	045	4	10	Cl	2996	80	72	4	2000	Cu			
23	045	2	10	Cl	2996	78	71	4	2000	Cu			
24	045	2	10	Cl	2997	78	72	4	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 310

REMARKS

00-04 Moored starboard side to berth Alfa Six (A-6) U.S. Naval Station, Pearl Harbor, Hawaii, with standard mooring lines doubled. Material condition Yoke (modified) set. Receiving telephone service and potable water from the pier. Ships present include various units of the US Pacific Fleet, Allied Naval units, and District Harbor craft. SOPA is CINCPACFLT.

Ltjg JA Hall, USNR

04-08 Morse Code Light. 0730 Mustered the crew at quarters. Absentees: None.

Ltjg JA Hall, USNR

APPROVED: Lt. C. C. Reed U.S.N. COMMANDING

EXAMINED: Ltjg R J Moon U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Tuesday (Day) 4 (Date) August (Month) 19 64

0800-1200 Moored as before. 0730 Mustered the crew at quarters. Absentees: None. 0935 Made daily inspection of the magazines. Conditions: Normal.

Ens C. P. McKenzie, USNR

1200-1600 Moored as before.

Ens C. P. McKenzie, USNR

1600-2000 Moored as before. 1800 Set material condition Yoke modified.

Ens C. P. McKenzie, USNR

2000-2400 Moored as before.

Ens C. P. McKenzie, USNR

APPROVED: Lt. C. C. Reed U.S.N. COMMANDING

EXAMINED: Sty N. D. Nasa U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (AJF-96) ZONE DESCRIPTION +10W DATE Wednesday (Day) 5 (Date) August (Month), 19 54

AT ~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	4	10	SCT	2995	77	72	4	2000	CU			
02	040	4	10	SCT	2993	77	72	4	2000	CU			
03	040	3	10	SCT	2993	76	71	4	2000	CU			
04	040	3	10	SCT	2993	76	71	4	2000	CU			
05	040	3	10	SCT	2993	76	71	4	2000	CU			
06	040	3	10	SCT	2993	76	71	4	2000	CU			
07	040	3	10	SCT	2993	76	71	4	2000	CU			
08	040	3	10	SCT	2993	77	71	4	2000	CU			
09	040	3	10	SCT	2993	78	72	4	2000	CU			
10	040	3	10	SCT	2993	79	72	4	2000	CU			
11	040	3	10	SCT	2993	80	72	4	2000	CU			
12	040	3	10	SCT	2994	80	72	4	2000	CU			
13	040	3	10	BKN	2992	86	72	6	2000	CU			
14	040	3	10	BKN	2992	88	76	6	2000	CU			
15	040	3	10	BKN	2992	88	78	6	2000	CU			
16	080	4	10	BKN	2990	85	75	8	2000	CU			
17	080	3	10	BKN	2990	85	76	9	2000	CU			
18	080	3	10	BKN	2991	82	75	8	2000	CU			
19	070	2	10	BKN	2991	81	74	8	2000	CU			
20	—	—	10	BKN	2991	81	74	8	2000	CU			
21	—	—	10	BKN	2991	81	74	8	2000	CU			
22	—	—	10	BKN	2994	81	74	8	2000	CU			
23	—	—	10	BKN	2994	81	74	8	2000	CU			
24	070	2	10	BKN	2994	78	71	5	2000	CU			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 18

FUEL CONSUMED 0000-2400: 1130

REMARKS

00-04 Moored starboard side to in berth Alfa Pier (A-6) US Naval Base Pearl Harbor, Hawaii with standard mooring lines doubled. Mystaf conducting yoke modified is set. Receiving telephone and potable water from the pier. Ships present include various units of the U.S. Pacific Fleet, District, and Yard Craft. Depa is Comp Det Flt

Ens C. P. McKenzie, USNR

04-08 Moored as before. 0730 Mustered the crew at quarters. Absentees: None. Commenced making preparations for getting underway. 0755 Stationed the special sea and anchor detail.

Ens C. P. McKenzie, USNR

APPROVED: Lt. C. C. Reed U.S.N. COMMANDING

EXAMINED: Lt(jg) R. S. Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Wednesday (Day) 5 (Date) August (Month), 19 64

0800 Moored as Before. 0805 Completed all preparations for getting underway. Draft: forward 14', aft 16'. 0815 Underway for local Op-Area in accordance with ComFltFor Gun weekly Op-Order 32-64. Maneuvering to clear the berth Captain and Navigator are on the bridge. 0820 Steering various Courses at various speeds while standing out of Pearl Harbor 0826 Passed buoy #4 abeam to port 0832 Passed buoy #2 abeam to port 0845 Exercised the crew at General Quarters 0852 Exercised the crew at abandon ship drills. 0853 c/s to 3.3 kts 0900 Secured from abandon ship drills. 0902 Secured from General Quarters. 0904 c/s to 6.7 kts. 0907 Exercised the crew at man overboard drills. Steering various courses at various speeds while Conducting the Drill 0944 Secured from Man over board drill / Commenced rubberdocking drills. Steering Various courses at various speeds while conducting rubber docking drills. 1011 Commenced loss of steering control drills. 1022 Secured from loss of steering control drills. 1033 c/c to 090 1035 c/c to 095 1043 c/c to 270° 1046 c/c to 305 1047 c/s to 12.7 kts. 1055 c/c to 300. 1106 Commenced steering various courses at various speeds while standing into Pearl Harbor 1119 Buoy #2 abeam to starboard. 1122 Made daily inspection of the magazines Conditions: normal 1123 Buoy #4 abeam to stbd 1128 Buoy #6 abeam to stbd #28 PCF for the Conn. Steering various courses at various speeds while mooring alfa-five. 1133 Moored in berth alfa-Five (a-5) US Naval Station Pearl Harbor, Hawaii. 1140 ~~Underway~~ Underway from berth Alfa-Five in accordance with verbal authority from Port Cotrol 1142 Moored berth alfa-five US Naval Station Pearl Harbor Hawaii. 1144 Underway from berth alfa-five for berth Alfa-6 in accordance with verbal authority from Port Control ~~Steering~~ Steering various courses at various speeds while clearing the berth and mooring alfa-six. 1156 Moored starboard side to in berth alfa-six (a-6) US Naval Station Pearl Harbor, Hawaii with standard mooring lines doubled. Ships present include various units of the US Pacific Fleet, District and Yard Craft. Logs in ComPac Flt.

Ens C.S. McKenzie, USNR

12-16 MOORED AS BEFORE

LTJG J.E. Horton USN

16-20 MOORED AS BEFORE. 1800 SET MODIFIED MATERIAL CONDITION YOKE

LTJG J.E. Horton USN

20-24 MOORED AS BEFORE

LTJG J.E. Horton USN

APPROVED: Lt. C.C. Reed U.S.N. COMMANDING

EXAMINED: Lt(jg) R.S. Moser U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki ZONE DESCRIPTION +10W DATE Thursday (Day) 6 (Date) August (Month), 19 64

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	060	2	10	BKN	2992	78	71	5	2000	CU			
02	060	1	10	SCT	2992	77	71	4	2000	CU			
03	060	1	10	SCT	2992	77	72	4	2000	CU			
04	060	2	10	SCT	2992	77	72	4	2000	CU			
05	065	2	10	SCT	2993	77	72	4	2000	CU			
06	045	2	10	SCT	2994	78	72	4	2000	CU			
07	045	2	10	SCT	2994	79	72	4	2000	CU			
08	040	4	10	SCT	2993	80	72	4	2000	CU			
09	040	2	10	SCT	2995	80	72	4	2000	CU			
10	040	2	10	SCT	2995	80	72	4	2000	CU			
11	040	2	10	SCT	2993	80	73	3	2000	CU			
12	040	2	10	SCT	2993	82	74	3	2000	CU			
13	040	0	10	SCT	2990	84	73	3	2000	CU			
14	040	3	10	SCT	2991	86	75	3	2000	CU			
15	040	3	10	SCT	2991	87	75	3	2000	CU			
16	040	3	10	SCT	2991	87	75	3	2000	Cu			
17	040	5	10	SCT	2992	86	75	3	2000	Cu			
18	040	5	10	SCT	2993	86	75	3	2000	Cu			
19	040	4	10	SCT	2993	83	74	3	2000	Cu			
20	040	4	10	SCT	2993	82	74	3	2000	Cu			
21	040	3	10	SCT	2993	82	74	3	2000	Cu			
22	040	3	10	SCT	2993	82	74	3	2000	Cu			
23	040	2	10	SCT	2993	81	74	3	2000	Cu			
24	040	2	10	SCT	2995	78	72	3	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 20

FUEL CONSUMED 0000-2400: 710

REMARKS

00-04 Moored starboard side to in Berth Alfa Six, US Naval Station, Pearl Harbor, Hawaii with standard mooring lines doubled. USS LYDAN (ATF-85) moored alongside to port. Receiving fresh water and telephone service from the pier. Modified material condition Yoke set. Ships present include various units of US Pacific Fleet, Yard, and district craft. SOPA is COMTASKFLT. LTJG LC Horton USN

04-08 Moored as before. 0700 Mustered crew at Quarters, absentees: None. Commenced preparations for getting underway. 0730 Set special sea detail. Captain and navigator on the bridge OOD has the conn. Draft 13'6" fwd, 16'2" aft. 0735 Underway from Berth Alfa Six for local OP-Area in accordance with COMTASKFLT OP-

APPROVED: Lt. C.C. Reed U.S.N. COMMANDING

EXAMINED: Ltjg R.D. Mason, U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 THURSDAY 6 AUGUST 64
(Day) (Date) (Month) 19

04-08 (CONT) ORDER 32-64. MANEUVERING VARIOUS COURSES AND SPEED TO HEAD FAIR IN THE CHANNEL

LTJG J.E. Horton USN.

04-08 (Continued) Underway as before. 0744 Passed buoy #7 abeam to stbd 0746 passed buoy #5 abeam to stbd. 0749 Passed buoy #3 abeam to stbd 0752 Secured special sea and anch detail 0753 Passed buoy buoy #1 abeam to stbd 0754 C/C to 160°

Ens C.P. McKenzie, USNR

08-12 Underway as before. ~~0754 C/C to 160°~~ 0806 C/C to 180° 0807 Set the taut[illegible]. 0808 Commenced Z-6-2 with USS Grayson (CATF-110) 0809 Commanding Officer has the Conn. Commenced steering various courses at various speeds while conducting operations 0930 took the conn. 0953 Secured from Z-6-2. 1105 Made daily inspection of the magazines and bilges. Normal 1106 Set the special sea and anchor detail. ~~1119 Lost~~ Commenced steering various courses at various speeds while standing into Pearl Harbor. 1119 Passed buoy #2 abeam to stbd. 1121 passed buoy #4 abeam to stbd. 1126 Passed buoy #6 abeam to stbd. 1150 Captain has the Conn.

Ens C.P. McKenzie, USNR

12-16 Underway as before. 1201 Moored starboard side to in berth Sierra Eighteen (S-18) US Naval Submarine Base, Pearl Harbor, Hawaii with standard mooring line. Ships present include various units of the US Pacific Fleet HMSRCN, ROK, District and Yard Craft. Sopa is Cinc Pac Fl.

Ens C. P. McKenzie, USNR

12-16 (Con't) MOORED AS BEFORE. 1356 THE COMMANDING OFFICER DEPARTED FOR OFFICIAL CALL ON COMMANDER SERVICE SQUADRON FIVE AND COMMANDER SERVICE FORCE, U.S. PACIFIC FLEET. 1450 COMMANDING OFFICER RETURNED FROM MAKING OFFICIAL CALLS.

CWO J.D. Hollis, USN

16-20 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE (modified).

CWO J.D. Hollis, USN

20-24 MOORED AS BEFORE.

CWO J.D. Hollis, USN

APPROVED: U. C. C. Reed U.S.N. COMMANDING

EXAMINED: Lt(jg) D. D. Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ~~ABNAKI~~ (ATF-96) ZONE DESCRIPTION +10 W DATE FRIDAY (Day) 7 (Date) AUGUST (Month), 19 64

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	3	10	Sc	2996	78	72	3	2000	Cu			
02	040	3	10	Sc	2995	78	72	2	2000	Cu			
03	040	4	10	Sc	2995	78	72	4	2000	Cu			
04	040	1	10	Sc	2996	74	72	3	2000	Cu			
05	040	1	10	Sc	2996	77	73	3	2000	Cu			
06	040	1	10	Sc	2996	81	73	3	2000	Cu			
07	040	1	10	Sc	2998	86	73	3	2000	Cu			
08	040	1	10	Sc	2998	86	73	3	2000	Cu			
09	040	1	10	Sc	2998	86	73	4	2000	Cu			
10	040	2	10	Sc	2999	87	73	4	2000	Cu			
11	040	2	10	Sc	2999	87	73	4	2000	Cu			
12	040	2	10	Sc	2999	88	73	4	2000	Cu			
13	040	5	10	Sc	2998	88	73	4	2000	Cu			
14	040	6	10	Sc	2996	87	73	4	2000	Cu			
15	040	7	10	Sc	2994	85	74	5	2000	Cu			
16	040	4	10	Sc	2992	90	74	5	2000	Cu			
17	040	3	10	Sc	2992	89	74	3	2000	Cu			
18	040	3	10	Sc	2992	89	75	3	2000	Cu			
19	040	3	10	Sc	2992	84	75	3	2000	Cu			
20	040	3	10	Sc	2993	85	76	3	2000	Cu			
21	040	3	10	Sc	2993	85	76	3	2000	Cu			
22	040	3	10	Sc	2993	85	76	3	2000	Cu			
23	040	3	10	Sc	2993	85	76	3	2000	Cu			
24	040	3	10	Sc	2993	86	76	3	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 MOORED STARBOARD SIDE TO SIERRA ~~EIGHT~~EEN (S-18) AFT PORT BERTH U.S. SUBMARINE BASE, PEARL HARBOR, HAWAII, WITH STANDARD MOORING LINES DOUBLED. MATERIAL CONDITION YOKE (modified) SET. RECEIVING ELECTRICAL POWER, POTABLE WATER, & TELEPHONE SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, ROYAL CANADIAN FLEET, HMNZ AND OTHER ALLIED NAVY UNITS, DISTRICT AND SMALL CRAFT. SOPA IS COMCRAFT.

CWO J.D. Hollis, USN

04-08 MOORED AS BEFORE. 0730 MUSTERED THE CREW AT QUARTERS & ABSENTEES: NONE.

CWO J.D. Hollis, USN

APPROVED: LT. James R. Robertson U.S.N. COMMANDING

EXAMINED: Lt(jg) D.S. Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ASHAKI (ATF-96) Friday (Day) 7 (Date) August (Month), 19 64

08-12 Moored as before. 0806 Made daily inspection of Magazines. Conditions: Normal. 0845 Mustered Officers at quarters for Captain's inspection of personnel. 0915 Secured from inspection. 1205 Pursuant to Bu Pers Order dtd 7 May 1964, Lt. Calvin C. Reed, USN, 483119, was relieved, detached from duty as Commanding Officer with orders to report to President, Navy Board of Inspection and Survey, Navy Department for duty, having been relieved by Lt. T. C. Williams, 635124, USN.

Lt(jg) J. D. Hall, USNR

12-16 Moored as before. 1205 Made weekly test of magazine sprinkling and flooding system; conditions satisfactory.

Lt(jg) J. D. Hall USNR

16-20 Moored as before. 1800 Set Material Condition Yoke (modified) I.

Lt(jg) J. D. Hall, USNR

20-24 Moored as before.

Lt(jg) J. D. Hall USNR

APPROVED:

LT. James R. Richardson U.S.N. COMMANDING

EXAMINED:

Lt(jg) J. D. Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE Saturday (Day) 8 (Date) August (Month), 19 64

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	045	2	10	SCT	2996	79	74	4	2000	Cu			
02	045	2	10	SCT	2994	78	73	4	2000	Cu			
03	045	2	10	SCT	2994	76	73	4	2000	Cu			
04	045	2	10	SCT	2994	76	73	4	2000	Cu			
05	045	2	10	SCT	2992	76	73	4	2000	Cu			
06	045	1	10	SCT	2991	77	73	5	2000	Cu			
07	045	1	10	OVC	2994	77	74	9	2000	Cu			
08	045	1	10	OVC	2994	77	74	9	2000	Cu			
09	045	1	10	OVC	2994	79	74	9	2000	Cu			
10	045	1	10	OVC	2994	80	74	9	2000	Cu			
11	045	1	10	OVC	2994	84	75	9	2000	Cu			
12	045	2	10	BKN	2994	84	75	8	2000	Cu			
13	045	1	10	BKN	2995	86	76	8	2000	Cu			
14	045	1	10	BKN	2995	86	76	7	2000	Cu			
15	045	4	10	BKN	2994	85	76	6	2000	Cu			
16	045	4	10	BKN	2994	86	76	6	2000	Cu			
17	045	4	10	BKN	2994	88	78	6	2000	Cu			
18	045	4	10	BKN	2988	88	77	6	2000	Cu			
19	045	4	10	BKN	2988	88	76	6	2000	Cu			
20	045	2	10	SCT	2990	84	75	3	2000	Cu			
21	045	2	10	SCT	2991	82	74	4	2000	Cu			
22	045	3	10	SCT	2992	80	73	4	2000	Cu			
23	045	2	10	SCT	2993	79	72	3	2000	Cu			
24	045	2	10	SCT	2993	79	72	3	2000	Cu			

POSITION	ZONE	TIME
0800		
L ____ BY ____		
λ ____ BY ____		
1200		
L ____ BY ____		
λ ____ BY ____		
2000		
L ____ BY ____		
λ ____ BY ____		

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM ____ (ZT) ____ (Date)
TO ____ (ZT) ____ (Date)
SET ____
DRIFT ____

POSITION BETWEEN FIXES

MID. L ____
MID. λ ____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored starboard side to berth Sierra-Eighteen (S-18) U.S. Naval Submarine Base, Pearl Harbor, Hawaii with standard mooring lines doubled. Material Condition Yoke (modified) in effect. Receiving telephone services and potable water from the pier. Ships present include various units of the U.S. Pacific Fleet, foreign, district and small craft. SOPA is CinCPacFlt.

Ltjg J A Hall USNR

04-08 Moored as before. 0745 Mustered the crew on stations. Absentees: None.

Ltjg J A Hall USNR

APPROVED: Lt. James R. Williams U.S.N. COMMANDING

EXAMINED: Ltjg [signature] U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Saturday 3 August, 1964
(Day) (Date) (Month)

0800-1200 Moored as before. 0825 Made daily inspection of the magazines. Conditions: Normal.

Ens C.P. McKenzie, USNR

1200-1600 Moored as before.

Ens C.P. McKenzie, USNR

1600-2000 Moored as before. 1800 Set material condition yoke. 1820 Mustered the inport duty fire party. Absentees: None.

Ens C.P. McKenzie, USNR

2000-2400 Moored as before.

Ens C.P. McKenzie, USNR

APPROVED: EXAMINED:

Lt. James R. Aldridge U.S.N. COMMANDING Stig R.S. Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Alnaki (AF-34) ZONE DESCRIPTION +10W DATE Sunday (Day) 9 (Date) August (Month), 19 64

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	045	1	10	Sct	2996	74	72	5	2000	Cu			
02	045	1	10	Sct	2996	74	71	5	2000	Cu			
03	—	—	10	Sct	2996	75	71	5	2000	Cu			
04	—	—	10	Sct	2996	76	71	5	2000	Cu			
05	—	—	10	Sct	2996	76	71	5	2000	Cu			
06	—	—	10	Sct	2996	76	71	5	2000	Cu			
07	070	1	10	Sct	2992	76	71	4	2000	Cu			
08	070	2	10	Sct	2990	80	73	3	2000	Cu			
09	070	2	10	Sct	2990	84	75	3	2000	Cu			
10	070	2	10	Sct	2990	85	78	4	2000	Cu			
11	070	2	10	Sct	2990	89	79	5	2000	Cu			
12	070	4	10	BkN	2992	87	77	7	2000	Cu			
13	070	4	10	Sct	2989	90	78	4	2000	Cu			
14	070	4	10	Sct	2986	90	78	4	2000	Cu			
15	070	4	10	Sct	2984	90	78	4	2000	Cu			
16	050	3	10	Sct	2981	90	78	4	2000	Cu			
17	050	3	10	Sct	2981	90	78	4	2000	Cu			
18	050	3	10	Sct	2981	88	78	4	2000	Cu			
19	040	3	10	BkN	2982	86	74	6	2000	Cu			
20	040	2	10	Sct	2982	85	74	5	2000	Cu			
21	040	2	10	Sct	2987	84	74	5	2000	Cu			
22	040	2	10	Sct	2983	83	74	5	2000	Cu			
23	040	1	10	Sct	2984	82	74	5	2000	Cu			
24	040	1	10	BkN	2988	81	74	6	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 0

REMARKS

00-04 Moored starboard side to in berth Sierra Eighteen (S-18) US Naval Submarine Base Pearl Harbor, Hawaii with standard mooring lines doubled. Material Condition yoke modified is set. Receiving electrical steam, telephone, and potable water services from the pier. Ships present include various units of the US Pacific Fleet, HMRCM, ROK District and yard craft. SOPA is ComSubFlot

Cos C. P. McKenzie, USNR

04-08 Moored as before. ~~050~~ 0745 Mustered the ~~unport duty~~ crew on stations. Absentees: None.

Cos C. P. McKenzie, USNR

APPROVED:

T. James R. Williams U.S.N. COMMANDING

EXAMINED:

Stig R. Olsen U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 SUNDAY (Day) 9 (Date) AUGUST (Month), 19 64

0800-1200 MOORED AS BEFORE 1015 MADE DAILY INSPECTION OF MAGAZINES: CONDITIONS: NORMAL

LTJG F. E. Horton, USN

1200-1600 MOORED AS BEFORE.

LTJG F. E. Horton, USN

1600-2000 MOORED AS BEFORE 1800 SET MODIFIED MATERIAL CONDITION YOKE

LTJG F. E. Horton, USN

2000-2400 MOORED AS BEFORE.

LTJG F. E. Horton USN

APPROVED:

LT. James R. Hutchison U.S.N. COMMANDING

EXAMINED:

Ltjg R. D. Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Oklahoma ATF 96 ZONE DESCRIPTION +10W DATE Monday 10 August, 19 64
(Day) (Date) (Month)

AT/~~PASSAGE~~ FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	1	10	SCT	2987	80	74	5	2000	Cu			
02	040	1	10	BKN	2985	80	74	8	2000	Cu			
03	040	1	10	BKN	2985	80	74	6	2000	Cu			
04	040	1	10	SCT	2987	78	73	5	2000	Cu			
05	040	1	10	SCT	2987	78	73	5	2000	Cu			
06	040	3	10	SCT	2988	79	74	5	2000	Cu			
07	040	5	10	SCT	2990	79	74	5	2000	Cu			
08	040	4	10	SCT	2992	81	74	5	2000	Cu			
09	040	4	10	BKN	2992	84	75	7	2000	Cu			
10	040	4	10	BKN	2991	87	76	7	2000	Cu			
11	040	7	10	BKN	2992	87	76	7	2000	Cu			
12	040	7	10	BKN	2990	87	76	7	2000	Cu			
13	040	7	10	BKN	2990	87	76	7	2000	Cu			
14	040	7	10	BKN	2990	89	77	7	2000	Cu			
15	040	7	10	BKN	2990	90	77	7	2000	Cu			
16	040	6	10	BKN	2990	90	77	7	2000	Cu			
17	040	4	10	BKN	2990	89	77	7	2000	Cu			
18	040	4	10	BKN	2990	89	77	7	2000	Cu			
19	040	2	10	SCT	2992	86	75	5	2000	Cu			
20	040	2	10	SCT	2996	85	74	5	2000	Cu			
21	040	2	10	SCT	2994	83	72	5	2000	Cu			
22	040	2	10	SCT	2993	82	70	5	2000	Cu			
23	040	2	10	SCT	2994	81	70	5	2000	Cu			
24	040	2	10	SCT	2995	82	70	5	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400
0

FUEL CONSUMED 0000–2400
0

REMARKS

0000-0400 MOORED STARBOARD SIDE TO IN BERTH SIERRA EIGHTEEN (AFT), US SUBMARINE BASE, PEARL HARBOR, HAWAII, WITH STANDARD MOORING LINES DOUBLED. MODIFIED MATERIAL CONDITION YOKE SET. RECEIVING ELECTRICIAL POWER, FRESH WATER, AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, HMRNZ NAVY, HMRC NAVY, YARD, AND DISTRICT CRAFT. SOPA IS CINC PAC FLT.

LTJG F E Horton USN

0400-0800 MOORED AS BEFORE 0745 MUSTERED CREW AT QUARTERS: ABSENTEES: NONE

LTJG F E Horton USN.

APPROVED:

Lt. James R. Williams U.S.N. COMMANDING

EXAMINED:

Ltjg D D Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 10 (Date) AUGUST (Month) 19 64

08-12 MOORED AS BEFORE. 0917 made daily inspection of magazines. Conditions normal.

CWO Jd Hallis, USN

12-16 MOORED AS BEFORE.

CWO Jd Hallis, USN

16-20 MOORED AS BEFORE. 1800 Set material condition Yoke (modified).

CWO Jd Hallis, USN

20-24 MOORED AS BEFORE.

CWO Jd Hallis, USN

APPROVED: EXAMINED:

Lt. James R. Williams U.S.N. COMMANDING Stgs D S Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE TUESDAY (Day) 11 (Date) August (Month), 1964

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	2	10	SCT	2995	82	70	5	2000	Cu			
02	040	3	10	SCT	2997	83	72	5	2000	Cu			
03	040	3	10	SCT	2997	83	72	5	2000	Cu			
04	040	3	10	SCT	2995	82	72	5	2000	Cu			
05	040	3	10	SCT	2993	80	72	5	2000	Cu			
06	040	3	10	SCT	2992	78	72	4	2000	Cu			
07	040	3	10	SCT	2994	78	73	4	2000	Cu			
08	040	2	10	SCT	2994	79	73	3	2000	Cu			
09	040	2	10	SCT	2995	81	74	3	2000	Cu			
10	040	2	10	SCT	2996	83	75	3	2000	Cu			
11	040	1	10	SCT	2996	85	77	3	2000	Cu			
12	-	-	10	SCT	2996	90	77	3	2000	Cu			
13	040	1	10	SCT	2996	90	77	5	2000	Cu			
14	040	1	10	SCT	2994	91	77	3	2000	Cu			
15	040	1	10	SCT	2994	91	77	4	2000	Cu			
16	-	-	10	SCT	2990	89	76	4	2000	Cu			
17	-	-	10	SCT	2990	89	76	4	2000	Cu			
18	-	-	10	SCT	2990	89	76	4	2000	Cu			
19	-	-	10	SCT	2990	89	76	4	2000	Cu			
20	040	2	10	SCT	2992	89	76	5	2000	Cu			
21	040	2	10	SCT	2996	86	75	5	2000	Cu			
22	040	2	10	SCT	2997	82	74	5	2000	Cu			
23	040	2	10	SCT	3000	80	73	5	2000	Cu			
24	040	3	10	SCT	2999	78	72	4	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 MOORED Starboard side to berth Sierra Eighteen (S-18) aft. U.S. Naval Submarine Base, Pearl Harbor Hawaii with std. mooring lines doubled. Material condition yoke (Modified) set. Receiving Electrical power, potable water and telephone service from the pier. Ships present include various units of the U.S. Pacific Fleet, district, small craft and various units of allied navies. S.O.P.A. is CinCPacFlt.

CWO J.D. Hollis, USN

04-08 MOORED AS BEFORE. 0645 mustered the crew at Quarters. Absentees: None.

CWO J.D. Hollis, USN

APPROVED: Lt. James R. Williams U.S.N. COMMANDING

EXAMINED: Ltjg D.D. Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Tuesday (Day) 11 (Date) August (Month), 1964

08-12 Moored as before. 0926 Made daily inspection of magazines. Conditions: Normal.

Ltjg J.C. Hall, USNR

12-16 Moored as before.

Ltjg J.C. Hall, USNR

16-20 Moored as before. 1800 Set material Condition Yoke (Modified). Mustered in port fire party.

Ltjg J.C. Hall, USNR

20-24 Moored as before.

Ltjg J.C. Hall, USNR

APPROVED:

Lt. James L. Williams U.S.N. COMMANDING

EXAMINED:

Ltjg R.D. Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE Wednesday (Day) 12 (Date) Aug. (Month), 19 64

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	3	10	SCT	2999	76	72	3	2000	Cu			
02	040	3	10	SCT	2998	76	71	3	2000	Cu			
03	040	3	10	SCT	2998	76	71	2	2000	Cu			
04	040	3	10	SCT	2999	77	71	2	2000	Cu			
05	040	3	10	SCT	2998	77	71	2	2000	Cu			
06	040	5	10	SCT	2998	77	71	2	2000	Cu			
07	040	3	10	SCT	2998	77	72	2	2000	Cu			
08	040	1	10	SCT	3002	79	73	2	2000	Cu			
09	040	1	10	SCT	3004	83	75	3	2000	Cu			
10	040	3	10	SCT	3003	85	76	3	2000	Cu			
11	040	2	10	SCT	3003	88	76	3	2000	Cu			
12	040	2	10	SCT	3003	87	76	3	2000	Cu			
13	040	5	10	SCT	3003	87	76	3	2000	Cu			
14	040	3	10	SCT	3003	87	76	4	2000	Cu			
15	040	3	10	SCT	3002	87	76	4	2000	Cu			
16	040	4	10	SCT	2996	89	76	3	2000	Cu			
17	040	6	10	SCT	2996	88	76	4	2000	Cu			
18	040	4	10	SCT	2998	86	75	4	2000	Cu			
19	040	4	10	SCT	2998	84	75	3	2000	Cu			
20	040	2	10	SCT	2998	79	73	3	2000	Cu			
21	040	1	10	SCT	2998	79	73	3	2000	Cu			
22	040	3	10	SCT	2998	79	73	3	2000	Cu			
23	040	1	10	SCT	2998	79	73	3	2000	Cu			
24	040	1	10	SCT	2997	79	73	3	2000	Cu			

POSITION	ZONE	TIME
0800		
L ____ BY ____		
λ ____ BY ____		
1200		
L ____ BY ____		
λ ____ BY ____		
2000		
L ____ BY ____		
λ ____ BY ____		

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM ____ (ZT) ____ (Date)
TO ____ (ZT) ____ (Date)
SET ____
DRIFT ____

POSITION BETWEEN FIXES

MID. L ____
MID. λ ____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored starboard side to berth Sierra Eighteen (S-18) Aft, U.S. Naval ~~Station~~ Submarine Base, Pearl Harbor, Hawaii with standard mooring lines doubled. Material Condition Yoke (modified) set. Receiving electrical power, potable water and telephone service from the pier. Ships present include various units of the US Pacific Fleet, foreign, district and small craft. SOPA is CinCPACFLT.

Ltjg J A Hall USNR

04-08 Moored as before. 0645 Mustered the crew at quarters. Absentees: None.

Ltjg J A Hall, USNR

APPROVED: Lt. James R. Williams U.S.N. COMMANDING

EXAMINED: Ltjg R D Nason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Cahaba ATF-96 Wednesday (Day) 12 (Date) Aug (Month) 19 64

0800-1200 Moored as before. 0930 Made daily inspection of magazines. Conditions: Normal. ~~1100 The Commanding Officer held mast and imposed non-judicial punishment as follows: Bradbent, M.R. SM3c, 547-78-21 USN; Tolley, J. G. Jr. SM3c, 547-35-58, ETR3c, USN, Offense: Failure to obey a lawful order. Punishment: restriction to the limits of the ship for seven days.~~

Ens C.P. McKenzie, USNR

1200-1600 Moored as before.

Ens C.P. McKenzie, USNR

1600-2000 Moored as before. 1800 ~~Made daily~~ Set Condition Charlie Modified. 1815 Mustered the ~~in~~port duty fire party. Absentees: None.

Ens C.P. McKenzie, USNR

2000-2400 Moored as before.

Ens. C.P. McKenzie, USNR

APPROVED: Lt. James R. Schulmire U.S.N. COMMANDING

EXAMINED: Stg DS Nasser U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Catfish ATF-96 ZONE DESCRIPTION +10 DATE Sunday (Day) 13 (Date) August (Month), 19 64

AT/~~PASSAGE FROM~~ Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	1	10	ZT	2997	79	74	4	2000	cu			
02	040	2	10	SCT	2998	79	74	4	2000	cu			
03	040	2	10	SCT	2997	79	74	4	2000	cu			
04	040	2	10	SCT	2996	78	72	4	2000	cu			
05	040	1	10	BKN	3000	77	73	6	1800	ST			
06	040	3	8	R	3000	76	72	6	1800	ST			
07	040	1	10	BKN	3000	76	73	6	1800	ST			
08	040	1	10	BKN	3000	78	74	6	1800	ST			
09	040	1	10	BKN	3001	78	74	6	1800	ST			
10	040	1	10	BKN	3001	78	74	6	1800	ST			
11	040	1	10	BKN	3001	78	74	6	1800	ST			
12	040	3	10	BKN	2999	82	75	6	2000	cu			
13	040	4	10	BKN	2997	87	77	6	2000	cu			
14	040	5	10	SCT	2997	88	77	4	2000	cu			
15	040	5	10	SCT	2996	89	77	4	2000	cu			
16	040	5	10	SCT	2997	86	75	4	2000	cu			
17	040	5	10	SCT	2997	84	75	4	2000	cu			
18	040	5	8	L	2995	82	74	4	1800	ST			
19	040	4	8	L	2993	81	74	6	1800	ST			
20	040	1	10	SCT	2991	80	72	5	1800	ST			
21	—	—	10	SCT	2994	80	72	5	1800	ST			
22	—	—	10	SCT	2996	80	70	5	2000	cu			
23	—	—	10	SCT	2997	80	70	5	2000	cu			
24	—	—	10	SCT	2998	77	70	4	2000	cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 0

REMARKS

00-04 Moored starboard side to in berth Sierra Eighteen (S-18), Alt US Naval Submarine Base Pearl Harbor Hawaii with standard mooring lines doubled. Material Condition yoke (Modified) is set. Receiving electrical steam, telephone, and potable water services from the pier. Ships present include various units of the US Pacific Fleet, District, and Yard Craft. Sopa is CinCPac Flt.

Ens. C. P. McKenzie, USNR

DS

04-08 Moored as before. 0675 Mustered the crew at quarters. Absentees: none.

Ens C. P. McKenzie, USNR

APPROVED:

Lt. James R. Aleckman U.S.N. COMMANDING

EXAMINED:

Lt(jg) D S Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 THURSDAY (Day) 13 (Date) AUGUST (Month), 19 64

0800-1200 MOORED AS BEFORE. 0800 COMMENCED PREPARATIONS TO SHIFT BERTH TO SIERRA EIGHTEEN FORWARD. DEAD PLANT. 0821 COMMENCED SHIFTING BERTHS IN ACCORDANCE WITH INSTRUCTIONS OF PORT CONTROL 0840 COMPLETED SHIFTING BERTHS. MOORED STARBOARD SIDE TO IN BERTH SIERRA EIGHTEEN (FWD) WITH STANDARD MOORING LINES DOUBLED. 0915 MADE DAILY INSPECTION OF MAGAZINES: CONDITIONS: NORMAL. 1130 THE COMMANDING OFFICER HELD MAST AND IMPOSED NON-JUDICIAL PUNISHMENT AS FOLLOWS: BROADBENT, M.K. 547-78-24 SMSN USN, OFFENSE: FAILURE TO OBEY A LAWFUL ORDER. PUNISHMENT: RESTRICTED TO THE LIMITS OF SHIP FOR SEVEN DAYS COMMENCING 13 AUGUST 1964. SUROFCHEK, J.P. 549-35-58 ETR3, USN: OFFENSE, FAILURE TO OBEY A LAWFUL ORDER. PUNISHMENT: RESTRICTED TO LIMITS OF SHIP FOR SEVEN DAYS COMMENCING 13 AUGUST 1964. GODBEY, J.G. JR. 523-25-14 SM3 USN. OFFENSE: FAILURE TO OBEY A LAWFUL ORDER. PUNISHMENT. RESTRICTED TO LIMITS OF SHIP FOR SEVEN DAYS COMMENCING 13 AUGUST 1964.

LTJG FE Horton, USN

1200-1600 MOORED AS BEFORE.

LTJG FE Horton USN

1600-2000 MOORED AS BEFORE 1800 SET MODIFIED MATERIAL CONDITION YOKE.

LTJG FE Horton USN

2000-2400 MOORED AS BEFORE

LTJG FE Horton USN.

APPROVED: Lt. James R. Wilkinson U.S.N. COMMANDING

EXAMINED: Ltjg RS Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE FRIDAY (Day) 14 (Date) AUGUST (Month), 19 64

AT ~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	—	10	SCT	2998	77	70	4	2000	Cu			
02	040	1	10	SCT	2997	76	70	4	2000	Cu			
03	040	1	10	SCT	2995	74	69	4	2000	Cu			
04	040	2	10	SCT	2994	74	72	4	2000	Cu			
05	040	2	10	SCT	2994	74	72	4	2000	Cu			
06	040	2	10	SCT	2994	74	72	4	2000	Cu			
07	040	2	10	SCT	2994	74	72	4	2000	Cu			
08	040	2	10	SCT	2998	79	73	5	2000	Cu			
09	040	2	10	SCT	2999	82	74	4	2000	Cu			
10	040	2	10	SCT	2999	85	74	4	2000	Cu			
11	040	3	10	SCT	2998	88	74	4	2000	Cu			
12	040	2	10	BKN	2994	88	76	6	2000	Cu			
13	040	2	10	SCT	2995	89	77	4	2000	Cu			
14	040	2	10	SCT	2994	90	77	3	2000	Cu			
15	040	2	10	SCT	2995	90	77	3	2000	Cu			
16	040	2	10	SCT	2990	87	75	3	2000	Cu			
17	040	2	10	SCT	2990	87	75	3	2000	Cu			
18	040	2	10	SCT	2991	87	74	3	2000	Cu			
19	040	2	10	SCT	2991	87	74	3	2000	Cu			
20	—	—	10	SCT	2991	87	74	3	2000	Cu			
21	—	—	10	SCT	2991	87	74	3	2000	Cu			
22	—	—	10	SCT	2991	87	74	3	2000	Cu			
23	—	—	10	SCT	2991	87	74	3	2000	Cu			
24	040	2	10	SCT	2991	82	73	3	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 0

REMARKS

ØØ-Ø4 MOORED STARBOARD SIDE TO IN BERTH SIERRA EIGHTEEN (FWD) US SUBMARINE BASE, PEARL HARBOR HAWAII, WITH STANDARD MOORING LINES DOUBLED. MODIFIED MATERIAL CONDITION YOKE SET. RECEIVING ELECTRICIAL POWER, FRESH WATER, AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, YARD, AND DISTRICT CRAFT. SOPA IS CINCPAC FLT.

LTJG LE Horton, USN

Ø4-Ø8 MOORED AS BEFORE. Ø645 MUSTERED CREW AT QUARTERS: ABSENTEES: NONE

LTJG LE Horton USN

APPROVED: LT. James R. Mikelson U.S.N. COMMANDING

EXAMINED: Stjg RD Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY (Day) 14 (Date) AUGUST (Month) 1964

08-12 MOORED AS BEFORE. 0815 made daily inspection of magazines. Conditions: normal, made weekly test of magazine sprinkler system. Test satisfactory

CWO. J.C. Hollis, USN

12-16 MOORED AS BEFORE.

CWO. J.C. Hollis, USN

16-20 MOORED AS BEFORE. 1800 Set material condition Yoke (modified).

CWO. J.C. Hollis, USN

20-24 MOORED AS BEFORE.

CWO. J.C. Hollis, USN

APPROVED: EXAMINED:

LT. James R. Williams U.S.N. COMMANDING Stig R.S. Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE SATURDAY (Day) 15 (Date) AUGUST (Month), 19 64

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	3	10	SCT	2991	80	72	4	2000	Cu			
02	040	3	10	SCT	2991	78	72	3	2000	Cu			
03	040	3	10	SCT	2991	76	71	3	2000	Cu			
04	040	3	10	SCT	2992	77	72	2	2000	Cu			
05	040	3	10	SCT	2992	77	72	3	2000	Cu			
06	040	3	10	SCT	2993	77	72	2	2000	Cu			
07	040	3	10	SCT	2993	77	72	3	2000	Cu			
08	040	1	10	SCT	2996	77	72	4	2000	Cu			
09	040	1	10	SCT	2996	79	74	5	2000	Cu			
10	040	1	10	BKN	2996	82	75	6	1800	ST			
11	040	2	10	L	2995	81	76	7	1800	ST			
12	040	2	10	SCT	2994	85	76	5	2000	Cu			
13	040	2	10	SCT	2990	85	76	5	2000	Cu			
14	040	2	10	SCT	2988	85	76	5	2000	Cu			
15	040	2	10	SCT	2987	86	76	5	2000	Cu			
16	040	2	10	BKN	2988	85	76	6	2000	Cu			
17	040	2	10	SCT	2989	84	76	5	2000	Cu			
18	040	1	10	SCT	2990	83	75	5	2000	Cu			
19	040	1	10	SCT	2991	81	75	4	2000	Cu			
20	040	1	10	BKN	2991	81	75	7	2000	Cu			
21	040	2	10	BKN	2994	81	74	8	2000	Cu			
22	040	2	10	L	2994	80	74	8	1800	ST			
23	040	2	10	SCT	2995	80	73	4	1800	ST			
24	040	2	10	SCT	2995	78	73	4	2000	Cu			

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 MOORED STARBOARD SIDE TO BERTH SIERRA EIGHTEEN (S-18) US SUBMARINE BASE, PEARL HARBOR HAWAII with standard mooring lines doubled. material condition yoke set (modified), receiving Electrical power, potable water and telephone service from the pier. Ships present includes various units of the U.S. pacific flet, allied naval units, district and small crafts. S.O.P.A. is ComCPac Flt.

CWO Jack Hollis, USN

04-08 moored as before. 0745 mustered the crew on Stations; Absentees: None.

CWO. Jack Hollis, USN

APPROVED:

LT James R. Chrisman U.S.N. COMMANDING

EXAMINED:

Ltjg RS Rasen U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Saturday (Day) 15 (Date) August (Month) 19 64

08-12 Moored as before. 0819 Made daily inspection of Magazines. Conditions normal.

Ltjg J.L. Hall USNR

12-16 Moored as before.

Ltjg J.L. Hall USNR

16-20 Moored as before. 1800 Set material condition Yoke (modified).

Ltjg J.L. Hall USNR

20-24 Moored as before.

Ltjg J.L. Hall USNR

APPROVED:

LT. James R. Williams U.S.N. COMMANDING

EXAMINED:

Ltjg P.S. Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE Sunday (Day) / 16 (Date) August (Month), 19 64

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	2	10	Sct	2995	78	73	4	2000	Cu			
02	040	2	10	Sct	2994	77	72	4	2000	Cu			
03	040	1	10	Sct	2991	77	72	4	2000	Cu			
04	040	1	10	Sct	2991	78	73	4	2000	Cu			
05	040	1	10	Sct	2991	78	73	4	2000	Cu			
06	040	1	10	Sct	2994	77	73	4	2000	Cu			
07	040	1	10	Sct	2996	78	73	3	2000	Cu			
08	040	1	10	Sct	2998	79	74	3	2000	Cu			
09	040	1	10	Sct	2998	81	76	3	2000	Cu			
10	040	1	10	Sct	2997	86	76	3	2000	Cu			
11	040	1	10	BKN	2998	85	76	7	2000	Cu			
12	—	—	10	BKN	2998	85	76	7	2000	Cu			
13	—	—	10	BKN	2994	88	78	7	2000	Cu			
14	—	—	10	BKN	2990	88	78	7	2000	Cu			
15	—	—	10	BKN	2994	88	78	7	2000	Cu			
16	040	3	10	BKN	2992	87	77	7	2000	Cu			
17	040	3	10	BKN	2991	86	77	7	2000	Cu			
18	040	4	10	BKN	2990	84	77	9	2000	Cu			
19	040	3	10	OVC	2992	84	76	10	2000	Cu			
20	040	3	10	OVC	2993	84	70	10	2000	Cu			
21	040	3	10	OVC	2994	84	70	10	2000	Cu			
22	040	3	10	OVC	2994	84	70	9	2000	Cu			
23	040	3	10	BKN	2994	84	70	8	2000	Cu			
24	040	3	10	BKN	2994	84	70	8	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored starboard side to pier Sierra Eighteen (S-18), U.S. Submarine Base, Pearl Harbor, Hawaii with standard mooring lines doubled. Waterfront condition Yoke (modified). Set, receiving electrical power, potable water and telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet, foreign, district and small craft. SOPA is C.in.C. PAC-Flt.

Ltjg J.A. Hall USCG

04-08 Moored before. 0745 Mustered the crew on stations. Absentees: None.

Ltjg J.A. Hall, USCG

APPROVED:

Lt. James R. Williamson U.S.N. COMMANDING

EXAMINED:

Ltjg R.S. Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP Cahuilla (ATF-95) Sunday (Day) 16 (Date) August (Month) 19 64

08-12 Moored as before. 0905 Made daily inspection of the magazine. Conditions: Normal

Ens C. P. McKenzie, USMR

12-16 Moored as before.

Ens C. P. McKenzie, USMR

16-20 Moored as before, 1800 Set condition yoke modified

Ens C. P. McKenzie, USMR

20-24 Moored as before.

Ens C. P. McKenzie, USMR

APPROVED: Lt. James R. Williamson U.S.N. COMMANDING

EXAMINED: Stgy PS Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Chanate ATF-96 ZONE DESCRIPTION +10W DATE Monday (Day) 17 (Date) August (Month), 19 64

AT/~~PASSAGE~~ FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	5	10	SCT	2994	79	73	5	2000	Cu			
02	040	5	10	SCT	2995	79	73	5	2000	Cu			
03	040	5	10	SCT	2995	79	73	5	2000	Cu			
04	040	3	10	SCT	2995	80	75	5	2000	Cu			
05	040	2	10	SCT	2995	81	74	5	2000	Cu			
06	040	1	10	SCT	2996	82	74	5	2000	Cu			
07	040	1	10	SCT	2997	84	74	5	2000	Cu			
08	040	1	10	SCT	2998	85	74	5	2000	Cu			
09	040	1	10	SCT	2998	85	74	5	2000	Cu			
10	040	1	10	SCT	3000	85	74	5	2000	Cu			
11	040	1	10	SCT	3000	85	74	5	2000	Cu			
12	040	4	10	SCT	2999	86	74	5	2000	Cu			
13	040	4	10	SCT	2999	86	74	2	2000	Cu			
14	040	4	10	SCT	2997	87	75	2	2000	Cu			
15	040	3	10	SCT	2995	85	76	2	2000	Cu			
16	040	3	10	SCT	2996	84	76	3	2000	Cu			
17	040	3	10	SCT	2995	84	75	3	2000	Cu			
18	040	3	10	SCT	2995	82	74	3	2000	Cu			
19	040	3	10	SCT	2996	80	73	4	2000	Cu			
20	040	3	10	SCT	2997	80	73	5	2000	Cu			
21	040	3	10	SCT	2998	80	73	5	2000	Cu			
22	040	3	10	SCT	2999	80	73	5	2000	Cu			
23	040	3	10	SCT	3000	80	73	5	2000	Cu			
24	040	1	10	SCT	3000	80	73	5	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

08-04 Moored starboard side to in berth Sierra Eighteen (S-18) forward, U.S. Submarine Base, Pearl Harbor, Hawaii with standard mooring lines doubled. Material condition yoke modified is set. Receiving electrical, steam, potable water and telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet and yard craft. SOPA is CinCPacFlt.

Ens C.P. McKenzie, USNR

04-08 Moored as before. 0645 Mustered the crew at quarters. Absentees: None

Ens C.P. McKenzie, USNR

APPROVED: Lt. James R. Williamson U.S.N. COMMANDING

EXAMINED: Stig R.S. Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Monday Tuesday 17 August 19 64
(Day) (Date) (Month)

0812 MOORED AS BEFORE. 0921 MADE DAILY INSPECTION OF MAGAZINES: CONDITIONS NORMAL.

Ltjg LE Horton, USN

12-16 MOORED AS BEFORE

LTJG LE Horton USN

16-20 MOORED AS BEFORE 1800 SET MODIFIED MATERIAL CONDITION YOKE

LTJG LE Horton USN

20-24 MOORED AS BEFORE

LTJG LE Horton USN

APPROVED: EXAMINED:

Lt. James R. Schuckman U.S.N. COMMANDING Stjg PS Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Chanate ATF-96 ZONE DESCRIPTION +10 DATE Tuesday (Day) 18 (Date) August (Month), 19 64

AT/~~PASSAGE~~ FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	—	10	BKN	3000	80	73	6	2000	Cu			
02	—	—	10	BKN	3000	80	73	6	2000	Cu			
03	—	—	10	BKN	3000	80	73	6	2000	Cu			
04	040	1	10	SCT	2996	77	70	3	2000	Cu			
05	040	3	10	SCT	2996	77	70	3	2000	Cu			
06	040	3	10	SCT	2996	77	72	3	2000	Cu			
07	040	2	10	SCT	2998	78	72	4	2000	Cu			
08	040	2	10	SCT	2999	80	73	4	2000	Cu			
09	040	2	10	SCT	2999	82	74	4	2000	Cu			
10	040	2	10	SCT	2999	84	75	4	2000	Cu			
11	040	2	10	SCT	2999	86	76	4	2000	Cu			
12	040	2	10	BKN	2998	86	76	6	2000	Cu			
13	040	2	10	BKN	2996	88	77	7	2000	Cu			
14	040	2	10	BKN	2994	88	78	8	2000	Cu			
15	040	2	10	BKN	2994	89	78	7	2000	Cu			
16	040	2	10	BKN	2992	89	78	7	2000	Cu			
17	040	2	10	BKN	2992	88	77	7	2000	Cu			
18	040	2	10	BKN	2992	85	75	7	2000	Cu			
19	040	2	10	BKN	2992	82	73	7	2000	Cu			
20	040	2	10	BKN	2992	80	73	7	2000	Cu			
21	040	2	10	BKN	2994	78	73	7	2000	Cu			
22	040	3	10	BKN	2995	78	73	7	2000	Cu			
23	040	3	10	BKN	2996	78	73	7	2000	Cu			
24	040	1	10	SCT	2997	79	73	4	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 MOORED STARBOARD SIDE TO IN BERTH SIERRA EIGHTEEN (FORWARD), US NAVAL SUBMARINE BASE, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. MODIFIED MATERIAL CONDITION YOKE SET. RECEIVING, FRESH WATER, ELECTRICIAL POWER, AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. PACIFIC FLEET, HMRNZ FLEET, YARD, AND DISTRICT CRAFT. SOPA IS CINCPACFLT.

LTJG LE Horton USN

04-08 MOORED AS BEFORE. 0645 MUSTERED CREW AT QUARTERS: ABSENTEES: NONE

LTJG LE Horton USN.

APPROVED:

Lt. James R. Wickham U.S.N. COMMANDING

EXAMINED:

Ltjg DS Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) TUESDAY (Day) 18 (Date) AUGUST (Month) 19 64

08-12 MOORED AS BEFORE: 0915 made daily inspection of magazines. Conditions: Normal.

CWO J.L. Hollis, USN

12-16 MOORED AS BEFORE.

CWO J.L. Hollis, USN

16-20 MOORED AS BEFORE. 1800 Set material condition yoke (modified) 1805 mustered the rescue and assistance detail. Absentees: none.

CWO J.L. Hollis, USN

20-24 MOORED AS BEFORE.

CWO J.L. Hollis, USN

APPROVED: EXAMINED:

LT. James R. Williamson U.S.N. COMMANDING Stig R.S. Nason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE WEDNESDAY 19 AUGUST (Day) (Date) (Month), 19 64

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	1	10	Sct	2997	79	72	4	2000	Cu			
02	040	2	10	Sct	2996	79	72	3	2000	Cu			
03	040	2	10	BKN	2994	78	72	7	2000	Cu			
04	040	2	10	BKN	2994	78	72	7	2000	Cu			
05	040	2	10	BKN	2994	77	72	7	2000	Cu			
06	040	2	10	BKN	2996	76	72	7	2000	Cu			
07	040	3	10	BKN	2996	76	73	7	2000	Cu			
08	040	3	10	BKN	2999	79	74	8	2000	Cu			
09	040	3	10	BKN	2999	80	76	8	2000	Cu			
10	040	3	10	BKN	2999	83	77	8	2000	Cu			
11	040	3	10	BKN	2999	84	78	6	2000	Cu			
12	040	3	10	BKN	2994	87	78	6	2000	Cu			
13	040	3	10	BKN	2993	90	78	6	2000	Cu			
14	040	3	10	BKN	2990	90	77	8	2000	Cu			
15	040	3	10	BKN	2987	90	77	8	2000	Cu			
16	040	3	10	BKN	2987	90	76	8	2000	Cu			
17	040	3	10	BKN	2987	90	76	8	2000	Cu			
18	040	3	10	BKN	2987	90	76	7	2000	Cu			
19	040	3	10	BKN	2987	90	76	6	2000	Cu			
20	040	3	10	Sct	2987	88	76	5	2000	Cu			
21	040	3	10	Sct	2987	85	76	4	2000	Cu			
22	040	3	10	Sct	2989	82	75	4	2000	Cu			
23	040	2	10	Sct	2990	79	74	3	2000	Cu			
24	040	2	10	Sct	2992	79	73	3	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 MOORED starboard side to berth Sierra Eighteen (S-18) forward, U.S. Submarine Base, Pearl Harbor, Hawaii with standard mooring lines doubled. Material condition yoke (modified) set. Receiving electrical power, potable water, and telephone service from the pier. Ships present include various units of the U.S. Pacific Fleet, district and small craft. S.O.P.A. is CinC PacFlt.

CWO J.C. Hollis, USN

04-08 MOORED AS BEFORE. 0645 mustered the crew at Quarters. Absentees: none. 0745 made daily inspection of magazines. Conditions: normal.

CWO J.C. Hollis, USN

APPROVED:

Lt. James R. Williamson U.S.N. COMMANDING

EXAMINED:

Stfy RS Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Wednesday (Day) 19 (Date) Aug (Month), 19 64

08-12 Moored as before.

Ltjg J.R. Hall, USNR

12-16 Moored as before.

Ltjg J.R. Hall, USNR

16-20 Moored as before. 1800 Set Material condition Yoke (modified) B.

Ltjg J.R. Hall USNR

20-24 Moored as before.

Ltjg J.R. Hall USNR

APPROVED:

LT. James R. Wickham U.S.N. COMMANDING

EXAMINED:

Ltjg R.D. Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Thursday (Day) / 20 (Date) August (Month), 19 64

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	2	10	SCT	2992	79	73	3	2000	Cu			
02	040	1	10	SCT	2992	79	72	2	2000	Cu			
03	040	1	10	SCT	2992	78	71	1	2000	Cu			
04	040	1	10	CLR	2992	78	71	0	-	-			
05	040	1	10	CLR	2991	78	71	0	-	-			
06	040	1	10	CLR	2991	78	72	0	-	-			
07	040	1	10	CLR	2990	78	73	0	-	-			
08	040	1	10	SCT	2989	82	75	2	2000	Cu			
09	040	2	10	SCT	2989	82	78	3	2000	Cu			
10	040	1	10	SCT	2989	85	75	3	2000	Cu			
11	040	2	10	SCT	2989	89	78	3	2000	Cu			
12	040	2	10	SCT	2988	89	74	3	2000	Cu			
13	040	2	10	SCT	2988	86	73	3	2000	Cu			
14	040	2	10	SCT	2988	86	73	3	2000	Cu			
15	040	2	10	SCT	2989	86	73	3	2000	Cu			
16	040	2	10	SCT	2989	85	73	3	2000	Cu			
17	040	2	10	SCT	2990	85	73	3	2000	Cu			
18	040	2	10	SCT	2990	84	72	2	2000	Cu			
19	040	2	10	SCT	2990	84	71	2	2000	Cu			
20	040	2	10	SCT	2992	83	71	3	2000	Cu			
21	040	2	10	SCT	2993	82	72	3	2000	Cu			
22	040	2	10	SCT	2995	80	73	2	2000	Cu			
23	040	2	10	SCT	2997	78	74	3	2000	Cu			
24	040	1	10	SCT	2999	78	74	3	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored starboard side to berth Sierra, Eighteen (S-18) USS Submarine Base, Pearl Harbor, Hawaii with standard mooring lines doubled. Material Condition Yoke (modified) set. Receiving electrical power, potable water and telephone services from the pier. Ships present inside berth various units of the U.S. Pacific Fleet, foreign, district and small craft. S.O.P.A. is CINCPACFLT.

Ltjg J A Hall USNR

04-08 Moored as before. 0645 Mustered the crew at quarters. Absentees: none. 0730 Made daily inspection of magazines and issued stores.

Ltjg J A Hall USNR

APPROVED:

Lt. James R. Williamson U.S.N. COMMANDING

EXAMINED:

Ltjg D D Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) THURSDAY 20 AUGUST 19 64
(Day) (Date) (Month)

0800-1200 Moored as before ~~Made daily inspection of magazines. Conditions: normal.~~

Ens C. P. McKenzie, USNR

1200-1600 Moored as before.

Ens C. P. McKenzie, USNR

1600-2000 Moored as before. 1800 set condition yoke modified. 1832 Mustered the ~~import~~ duty fire party. Absentees: none.

Ens C. P. McKenzie, USNR

2000-2400 Moored as before.

Ens C. P. McKenzie, USNR

APPROVED: EXAMINED:

Lt. James R. Williams U.S.N. COMMANDING Stgs P.S. Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10W DATE Friday (Day) 21 (Date) August (Month), 19 64

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	1	10	Scт	2997	78	73	4	2000	Cu			
02	040	1	10	Scт	2995	78	72	4	2000	Cu			
03	040	2	10	Scт	2993	77	72	4	2000	Cu			
04	040	2	10	Scт	2990	77	72	4	2000	Cu			
05	040	2	10	Scт	2988	77	72	4	2000	Cu			
06	040	2	10	Scт	2988	77	72	4	2000	Cu			
07	040	1	10	Scт	2988	86	76	5	2000	Cu			
08	040	2	10	BKN	2988	89	73	6	2000	Cu			
09	040	2	10	BKN	2988	84	76	6	2000	Cu			
10	040	2	10	BKN	2986	88	75	6	2000	Cu			
11	040	2	10	BKN	2986	88	75	6	2000	Cu			
12	040	2	10	BKN	2986	89	75	6	2000	Cu			
13	040	1	10	BKN	2985	90	76	7	2000	Cu			
14	040	1	10	BKN	2984	90	76	7	2000	Cu			
15	040	1	10	Scт	2982	88	75	5	2000	Cu			
16	040	2	10	Scт	2981	91	77	4	2000	Cu			
17	040	3	10	BKN	2980	90	78	6	2000	Cu			
18	040	5	10	Scт	2982	88	77	3	2000	Cu			
19	040	2	10	Scт	2983	86	76	3	2000	Cu			
20	040	2	10	Scт	2984	86	76	3	2000	Cu			
21	040	1	10	Scт	2986	84	73	3	2000	Cu			
22	040	1	10	Scт	2988	81	72	3	2000	Cu			
23	040	1	10	Scт	2987	81	72	3	2000	Cu			
24	040	2	10	Scт	2986	81	72	3	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored starboard side to in berth Sierra Eighteen (S-18) US Naval Submarine Base Pearl Harbor, Hawaii with standard mooring lines doubled. USS ~~Quapaw~~ Quapaw (ATF 110) ~~Moored~~ outboard to port. ~~Material~~ Conduits ~~Yoke~~ ~~not~~ ~~piped~~ ~~Modified~~ y set. Receiving electrical, steam, & potable water and telephone services from the pier. Ships present include various units of the US Pacific Fleet District and yard craft. ADA is CinCPacFlt.

Ens. C. P. McKenzie, USNR

04-08 Moored as before. 0045 Mustered the crew at quarters Absentees: None. 0755 Made daily inspection of the magazines. Conditions: Normal

Ens C. P. McKenzie, USNR

APPROVED:

Lt. James R. Williams U.S.N. COMMANDING

EXAMINED:

Lt(jg) D S Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 FRIDAY (Day) 21 (Date) AUGUST (Month) 64

0800 MOORED AS BEFORE. 1100 COMMENCED COMMANDING OFFICERS MATERIAL INSPECTION.

LTJG LE Horton USN

1200 MOORED AS BEFORE 1220 SECURED FROM COMMANDING OFFICERS MATERIAL INSPECTION

LTJG LE Horton USN

1600 MOORED AS BEFORE. ~~SET MOT~~ 1800 SET MODIFIED MATERIAL CONDITION YOKE SEH

LTJG LE Horton USN

2000 MOORED AS BEFORE

LTJG LE Horton USN.

APPROVED:

LT. James K. Adkisson U.S.N. COMMANDING

EXAMINED:

Stjg DD Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Quapaw ATF-96 ZONE DESCRIPTION +10 DATE Saturday 22 August, 19 64
(Day) (Date) (Month)

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	2	10	Set	2985	80	71	2	2000	Cu			
02	040	2	10	Set	2984	79	71	2	2000	Cu			
03	040	4	10	Set	2986	79	71	2	2000	Cu			
04	040	3	10	Set	2987	79	72	3	2000	Cu			
05	040	2	10	Set	2987	79	73	4	2000	Cu			
06	040	2	10	Set	2987	78	72	4	2000	Cu			
07	040	2	10	Set	2990	80	73	4	2000	Cu			
08	040	2	10	Set	2990	80	73	4	2000	Cu			
09	040	2	10	Set	2990	80	73	4	2000	Cu			
10	040	4	10	Set	2990	84	75	4	2000	Cu			
11	040	5	10	Set	2990	89	77	4	2000	Cu			
12	040	5	10	Set	2986	89	77	4	2000	Cu			
13	040	6	10	Set	2984	89	77	4	2000	Cu			
14	040	6	10	Set	2984	89	77	4	2000	Cu			
15	040	6	10	Set	2984	89	75	4	2000	Cu			
16	040	4	10	Set	2983	90	76	3	2000	Cu			
17	040	4	10	Set	2983	90	75	3	2000	Cu			
18	040	3	10	Set	2984	86	73	4	2000	Cu			
19	040	3	10	Set	2985	84	71	4	2000	Cu			
20	040	1	10	Set	2985	84	71	4	2000	Cu			
21	040	1	10	Set	2985	86	72	4	2000	Cu			
22	—	—	10	Set	2985	85	71	4	2000	Cu			
23	—	—	10	Set	2986	87	71	4	2000	Cu			
24	—	—	10	Set	2984	84	72	4	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 MOORED STARBOARD SIDE TO IN BERTH SIERRA EIGHTEEN (FORWARD), US NAVAL SUBMARINE BASE, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. USS QUAPAW (ATF-110) MOORED ALONGSIDE TO PORT. MODIFIED MATERIAL CONDITION YOKE SET. RECEIVING ELECTRICIAL POWER, FRESH WATER AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, HMRNZ FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINCPACFLT.

LTJG LE Horton USN

04-08 MOORED AS BEFORE. 0745 MUSTERED CREW ON STATIONS: ABSENTEES NONE.

LTJG LE Horton USN

APPROVED: Lt James R. Williams U.S.N. COMMANDING

EXAMINED: Lt(jg) DS Nasen U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY 22 AUGUST 1964
(Day) (Date) (Month)

08-12 moored as before; 1007 made daily inspection of magazines. Conditions: Normal.

CWO J.C. Hollis, USN

12-16 moored as before.

CWO J.C. Hollis, USN

16-20 moored as before; 1800 confirmed setting of material condition yoke (modified).

CWO J.C. Hollis, USN

20-24 moored as before;

CWO J.C. Hollis, USN

APPROVED: EXAMINED:

Lt. John R. Hutchinson U.S.N. COMMANDING Stgr. D.S. Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE SUNDAY (Day) 23 (Date) AUGUST (Month), 1964

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	2	10	SCT	2987	82	73	4	2000	Cu			
02	040	2	10	SCT	2988	79	74	3	2000	Cu			
03	040	2	10	SCT	2989	78	74	2	2000	Cu			
04	040	2	10	SCT	2989	78	74	4	2000	Cu			
05	040	2	10	BKN	2989	78	74	6	2000	Cu			
06	040	2	10	BKN	2989	78	74	6	2000	Cu			
07	040	2	10	BKN	2989	78	74	6	2000	Cu			
08	040	2	10	BKN	2992	80	72	6	2000	Cu			
09	040	2	10	BKN	2992	84	74	6	2000	Cu			
10	040	2	10	BKN	2992	88	75	6	2000	Cu			
11	040	2	10	BKN	2996	88	76	6	2000	Cu			
12	040	2	10	BKN	2999	91	77	6	2000	Cu			
13	040	2	10	SCT	2999	91	78	5	2000	Cu			
14	040	1	10	SCT	2996	92	78	5	2000	Cu			
15	040	1	10	SCT	2992	92	78	5	2000	Cu			
16	040	1	10	SCT	2984	91	78	5	2000	Cu			
17	—	—	10	SCT	2984	91	78	5	2000	Cu			
18	—	—	10	SCT	2984	91	78	5	2000	Cu			
19	—	—	10	SCT	2984	91	78	5	2000	Cu			
20	040	2	10	SCT	2988	83	77	4	2000	Cu			
21	040	2	10	SCT	2989	82	76	4	2000	Cu			
22	040	2	10	SCT	2989	82	75	4	2000	Cu			
23	040	2	10	SCT	2990	81	74	4	2000	Cu			
24	040	2	10	SCT	2989	79	72	4	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 moored Starboard side to, berth Sierra Eighteen (S-18) U.S. Naval Submarine Base, Pearl Harbor, Hawaii with standard mooring lines doubled. U.S.S. Quapaw (AF-110) moored outboard to port. Material condition yoke (modified). Set receiving potable water, electrical power, and telephone services from the pier. Ships present include various units of the U.S. Pacific Flgt units & various allied navies, District and Small Crafts. S.O.P.D. is Cin Cpac Flt.

CWO. J.D. Hollis, USN

04-08 moored as before: 0745 mustered the crew on stations. Absentees: none; 0747 made daily inspection of magazines. Conditions: normal.

CWO J.D. Hollis USN

APPROVED:

LT. James R. Williams U.S.N. COMMANDING

EXAMINED:

[illegible] U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Sunday (Day) / 23 (Date) August (Month) 19 64

08-12 Moored as before.

Ltjg J.C. Hall USNR

12-16 Moored as before.

Ltjg J.C. Hall USNR

16-20 Moored as before. 1900 Set Material Condition Yoke (Modified).

Ltjg J.C. Hall USNR

20-24 Moored as before.

Ltjg J.C. Hall USNR

APPROVED:

Lt. James R. Williams U.S.N. COMMANDING

EXAMINED:

Ltjg R.D. Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS AGUAKI (ATF-96) ZONE DESCRIPTION +10-W DATE Monday (Day) 24 (Date) August (Month), 19 64

AT/~~PASSAGE~~ FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	2	10	BKN	2988	78	71	6	2000	Cu			
02	040	1	10	BKN	2988	78	71	6	2000	Cu			
03	040	1	10	BKN	2989	78	71	6	2000	Cu			
04	040	2	10	BKN	2989	78	71	6	2000	Cu			
05	040	2	10	BKN	2989	78	71	6	2000	Cu			
06	040	1	10	SCT	2989	77	72	3	2000	Cu			
07	040	1	10	SCT	2990	77	72	3	2000	Cu			
08	040	1	10	SCT	2990	80	72	3	2000	Cu			
09	040	1	10	SCT	2990	81	72	3	2000	Cu			
10	040	1	10	SCT	2991	83	73	3	2000	Cu			
11	060	8	10	SCT	2993	83	73	3	2000	Cu	~~080~~	090	2
12	060	9	10	SCT	2991	83	73	3	2000	Cu	~~080~~	090	2
13	060	12	10	SCT	2989	83	73	3	2000	Cu	80	090	3
14	060	15	10	SCT	2986	83	73	3	2000	Cu	80	090	3
15	060	15	10	SCT	2986	83	73	3	2000	Cu	80	090	3
16	060	12	10	SCT	2986	83	73	3	2000	Cu	80	090	3
17	060	10	10	SCT	2987	82	73	3	2000	Cu	80	090	3
18	060	10	10	SCT	2987	82	72	2	2000	Cu	80	090	3
19	060	9	10	SCT	2987	82	72	2	2000	Cu	80	090	3
20	060	9	10	SCT	2987	81	72	2	2000	Cu	80	090	3
21	060	7	10	SCT	2987	81	72	2	2000	Cu	80	090	3
22	060	7	10	SCT	2988	81	72	2	2000	Cu	80	090	3
23	060	7	10	SCT	2988	83	71	2	2000	Cu			
24	060	3	10	SCT	2988	83	71	2	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L 21-10.5N		BY 3
λ 157-59.7W		BY 3
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 122

FUEL CONSUMED 0000-2400: 1862

REMARKS

00-04 Moored starboard side to berth Sierra Eight Tee (S-18) U.S. Submarine Base, Pearl Harbor, Hawaii, with standard mooring lines double. USS QUAPAW (ATF-110) moored outboard to port. Material condition Yoke (modified) set. Receiving electrical power, potable water and telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet, various foreign, district craft and small craft. SOPA is COMCRUDESPAC FIVE.

Ltjg J.E. Hall USNR

04-08 Moored as before. 0745 Mustered the crew at quarters. Absentees: None

Ltjg J.E. Hall USNR

APPROVED:

LT. James R. Williams U.S.N. COMMANDING

EXAMINED:

Stjg D.S. Rosen U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 MONDAY (Day) 24 (Date) AUGUST (Month) 19 64

08-12 Moored as before. 0801 Commenced preparations for getting underway. 0812 Made daily inspection of magazines. Conditions normal. 0820 Set the special sea detail. 0821 Completed all preparations for getting underway. Draft: forward 14'4", aft 16'3". 0845 U.S.S. QUAPAW (ATF-110) underway from alongside to port. 0859 Underway in accordance with COMFLTRAGRU OP-Order 35-64. Maneuvering to clear the pier. Captain, Navigator on the bridge. Steering various courses at various speeds standing out of Pearl Harbor. 0958 Moored starboard side to berth A-6, U.S. Naval Station, Pearl Harbor, Hawaii with standard mooring lines. ~~1037 Underway from berth A-6 with~~ 1015 Took series 40 sled number 590 in tow. 1037 Underway in accordance with COMFLTRAGRU OP-Order 35-64. Maneuvering to clear the pier. Captain, Navigator on the bridge. Steering various courses at various speeds standing out of Pearl Harbor. 1110 Secured the special sea detail, base course 156°, base speed 9.5 kt.

Ltjg JC Hall, USNR

08-12 (cont) Underway as before: 1122 C/S 13.3 Kts. 1123 Entered International Waters. 1124 C/C 209°, 1142 C/S 13.8 Kts.

CWO JL Hollis, USN

12-16 UNDERWAY AS BEFORE 1302 C/C TO 249° 1356 C/C TO 255° 1458 C/S TO 6.7 KNOTS. 1459 STREAMED SLED TO 3600 FT. 1509 C/S TO 5 KTS. 1525 C/C TO 225°. 1544 USS WALKER DD517 COMMENCED FIRING EXERCISE Z-23-G. C/C TO 245° C/S TO 9 KTS 1549 USS WALKER COMPLETED EXERCISE Z-23G. C/C TO 225° C/S TO 5 KNTS.

LTJG LE Horton USN

16-18 Underway as before. 1602 Commenced Z-21-G with USS Walker (DD 517) 1621 Completed Z-21-G. 1623 c/s to 6.7 kts. 1640 Commenced Z-23-G with USS Walker (DD-517) 1641 c/s to 9.6 kts c/c to 245. 1643 c/c to 240° 1658 Secured from Z-23-G 1659 c/c to 065 1707 Heaved target into 1200 feet 1726 c/s to 7.7 kts. 1730 c/s to 8.9 kts. 1737 c/s to 10.1 kts 1744 c/s to 11.3 kts

Ens C.P. McYezio, USNR

18-20 Underway as before. 1915 C/C 050°.

Ltjg JA Hall, USNR

20-24 Underway as before. 2151 C/C Base course 338°, Commenced maneuvering on various courses & speeds, heaving in sled to 300 feet. preparing to enter port. 2300 Set the special sea & anchor detail. Captain & navigator are on the Bridge. 2315 passed buoy (2) abeam to stbd, 100 yds. 2330 passed ~~buoy~~ buoy (6) abeam 75 yds. maneuvering & approach berth, 2350 moored port side to Berth A-5, U.S. naval station, Pearl Harbor, Hawaii, 2356 Secured the special sea & anchor detail. Set regular inport watch.

CWO JL Hollis USN

APPROVED: EXAMINED:

LT. James R. Williams U.S.N. COMMANDING Ltjg RD Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Chanticleer AM-96 ZONE DESCRIPTION H0W DATE Tuesday 25 August, 19 64
(Day) (Date) (Month)

AT/~~PASSAGE~~ FROM Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	2	10	SCT	2992	80	74	2	2000	Cu			
02	040	2	10	SCT	2993	80	74	2	2000	Cu			
03	040	2	10	SCT	2993	80	74	2	2000	Cu			
04	040	2	10	SCT	2991	79	73	4	2000	Cu			
05	040	2	10	SCT	2992	80	74	4	2000	Cu			
06	040	2	10	SCT	2992	82	74	4	2000	Cu			
07	040	3	10	SCT	2993	83	75	4	2000	Cu			
08	040	3	10	SCT	2994	83	75	4	2000	Cu			
09	040	4	10	SCT	2995	83	75	4	2000	Cu			
10	040	4	10	SCT	2994	83	75	4	2000	Cu			
11	040	4	10	SCT	2994	84	75	4	2000	Cu			
12	040	4	10	SCT	2994	84	75	4	2000	Cu			
13	040	4	10	SCT	2994	86	75	4	2000	Cu			
14	040	4	10	SCT	2994	86	75	4	2000	Cu			
15	040	4	10	SCT	2994	86	75	4	2000	Cu			
16	040	4	10	SCT	2995	85	75	4	2000	Cu			
17	040	4	10	SCT	2995	85	75	4	2000	Cu			
18	040	4	10	SCT	2995	85	75	4	2000	Cu			
19	040	4	10	SCT	2995	85	75	4	2000	Cu			
20	040	4	10	SCT	2994	84	73	4	2000	Cu			
21	040	4	10	SCT	2994	84	72	4	2000	Cu			
22	040	4	10	SCT	2994	83	71	4	2000	Cu			
23	040	3	10	SCT	2994	82	70	4	2000	Cu			
24	040	2	10	SCT	2996	84	72	4	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 6.0

FUEL CONSUMED 0000-2400: 328

REMARKS

00-04 Moored port side to in berth Alfa five (a-5) ~~south~~ US Naval Base Pearl Harbor, Hawaii with standard mooring lines doubled, sled 590 is ~~along~~ moored alongside to starboard. Condition yoke modified is set. Receiving water and telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet, District and Yard craft. Senpa is CinCPac Flt.

Ens C. P. McKenzie, USNR

04-08 Moored as before. 0745 Mustered the crew at quarters. Absentees: none.

Ens C. P. McKenzie, USNR

APPROVED:

LT. James R. Williams U.S.N. COMMANDING

EXAMINED:

Stjg RD Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 TUESDAY (Day) 25 (Date) AUGUST (Month) 19 64

0800-1200 MOORED AS BEFORE. 0830 COMMENCED PREPARATIONS FOR GETTING UNDERWAY. DRAFT 14'4" FWD 16'3" AFT. 0855 SET SPECIAL SEA AND ANCHOR DETAIL. CAPTAIN AND NAVIGATOR ON THE BRIDGE. OOD HAS THE CONN. 0908 UNDERWAY FROM BERTH A-5 ENROUTE TO W-1 NAD, OAHU IN ACCORDANCE WITH VERBAL ORDERS FROM PORT CONTROL. MANEUVERING VARIOUS COURSES AND SPEEDS TO CLEAR BERTH AND HEAD FAIR IN THE CHANNEL. 0902 HEADED FAIR IN THE CHANNEL ON COURSE 345° SPEED 9 KNTS. 0918 C/C TO 323° WEST LOCH CHANNEL BUOY ABEAM TO PORT 100YDS. COMMENCED MANEUVERING VARIOUS COURSES AND SPEEDS TO CONFORM WITH WEST LOCH CHANNEL. 0933 COMMENCED MANEUVERING TO APPROACH AND MOOR IN BERTH W-1 NAD, OAHU 0946 MOORED IN BERTH W-1 NAD, OAHU WITH STANDARD MOORING LINES SINGLED SECURED SPECIAL SEA AND ANCHOR DETAIL. 0950 COMMENCED LOADING AMMUNITION. 1015 COMPLETED LOADING AMMUNITION, HAVING RECEIVED FROM NAD, OAHU 70 ROUNDS OF 3"/50CAL AMMUNITION, AND VARIOUS PYROTECHNICS AND SMALL ARMS AMMUNITION. 1016 SET SPECIAL SEA AND ANCHOR DETAIL. CAPTAIN AND NAVIGATOR ON THE BRIDGE. OOD HAS THE CONN. 1020 UNDERWAY FROM BERTH W-1, NAD OAHU TO BERTH A-5 US NAVAL STATION, PEARL HARBOR, HAWAII IN ACCORDANCE WITH VERBAL ORDERS FROM PORT CONTROL COMMENCED MANEUVERING VARIOUS COURSES AND SPEEDS TO CONFORM WITH WEST LOCH CHANNEL 1027 MADE DAILY INSPECTION OF MAGAZINES. CONDITIONS NORMAL. 1043 ENTERED MAIN PEARL HARBOR CHANNEL C/C TO 170° SPEED 6.7 KTS. 1044 A/E STOP. 1046 COMMENCED MANEUVERING VARIOUS COURSES AND SPEEDS TO APPROACH AND MOOR IN BERTH A-5. 1056 MOORED IN BERTH A-5 U.S. NAVAL STATION, PEARL HARBOR HAWAII WITH STANDARD MOORING LINES DOUBLED. SECURED SPECIAL SEA AND ANCHOR DETAIL. 1125 RECEIVED 5-40 SLED 590, ALONGSIDE TO STARBOARD.

LTJG FE Horton USN

1200-1600 MOORED AS BEFORE.

LTJG FE Horton USN

1600-2000 MOORED AS BEFORE 1800 SET MODIFIED MATERIAL CONDITION YOKE.

LTJG FE Horton USN

2000-2400 MOORED AS BEFORE.

LTJG FE Horton USN

APPROVED: LT. James R. Williams U.S.N. COMMANDING

EXAMINED: Ltjg RS Nasen U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE WEDNESDAY (Day) 26 (Date) AUGUST (Month), 19 64

AT/~~PASSAGE FROM~~ PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	2	10	SCT	2996	84	72	5	2000	Cu			
02	040	2	10	SCT	2996	84	72	5	2000	Cu			
03	040	2	10	SCT	2996	84	72	5	2000	Cu			
04	040	3	10	SCT	2994	78	72	5	2000	Cu			
05	040	3	10	SCT	2992	76	72	5	2000	Cu			
06	040	2	10	BKN	2993	76	72	7	2000	Cu			
07	040	2	10	BKN	2993	78	72	7	2000	Cu			
08	050	9	10	SCT	2994	82	75	5	2000	Cu	81	090	2
09	050	9	10	SCT	2994	82	75	4	2000	Cu	81	090	2
10	050	9	10	SCT	2994	82	75	4	2000	Cu	81	090	2
11	050	9	10	SCT	2994	82	75	4	2000	Cu	81	090	2
12	050	9	10	SCT	2994	82	75	4	2000	Cu	81	090	2
13	050	4	10	SCT	2993	81	75	4	2000	Cu	81	090	2
14	050	4	10	SCT	2994	80	75	4	2000	Cu			
15	050	4	10	SCT	2995	80	75	4	2000	Cu			
16	050	4	10	SCT	2996	90	78	3	2000	Cu			
17	050	3	10	SCT	2998	90	77	3	2000	Cu			
18	050	3	10	SCT	2998	90	77	3	2000	Cu			
19	050	3	10	SCT	2998	87	76	3	2000	Cu			
20	050	3	10	SCT	2995	84	76	3	2000	Cu			
21	050	3	10	SCT	2991	82	75	2	2000	Cu			
22	050	3	10	SCT	2990	82	74	2	2000	Cu			
23	050	3	10	SCT	2988	81	73	2	2000	Cu			
24	050	3	10	SCT	2989	80	72	3	2000	Cu			

POSITION	ZONE	TIME
0800		
L 21-12.8N	BY	3
λ 157-58.4W	BY	3
1200		
L 20-57.1N	BY	3
λ 158-03.5W	BY	3
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 69

FUEL CONSUMED 0000-2400: 1950

REMARKS

00-04 MOORED PORT SIDE TO IN BERTH ALFA FIVE U.S. NAVAL STATION, PEARL HARBOR, HAWAII, WITH STANDARD MOORING LINES DOUBLED. SERIES FORTY TARGET SLED FIVE NINE ZERO ALONGSIDE TO STARBOARD. MODIFIED MATERIAL CONDITION YOKE SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. RECEIVING FRESH WATER AND TELEPHONE SERVICE FROM THE PIER. SOPA IS CINC PAC FLT.

LTJG F.E. Harton USN.

04-08 MOORED AS BEFORE. 0620 Mustered the crew at Quarters. Absentees: None. 0630 Commenced preparations for getting underway. Draft: 7 fwd. 13'-7" Aft. 16'-8". 0640 Set the Special Sea and Anchor detail. 0644 all stations manned and ready. Captain and navigator on the

APPROVED: Lt. James R. Williams U.S.N. COMMANDING

EXAMINED: Stig D. Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY (Day) 26 (Date) AUGUST (Month), 1964

04-08 (Cont) Bridge. 0648 Commenced maneuvering to clear berth. 0651 underway with sleds in accordance with ComFltTraGpac op-order 35-64. 0659 commenced streaming sled. 0702 heading fair in the Channel, outbound. Steering various courses & speeds to conform to the Charted Channel. 0708 passed Buoy 9 abeam to stbd. approximately 100yds. 0716 passed Buoy 13 abeam to stbd approximately 75yds. Base Course 153°, speed 10.1 Kts. sled at 300 feet. 0720 Secured the Special Sea and Anchor detail. sled at 900 feet. 0731 C/C 210°, C/S 11.8 Kts. entered International Waters. 0740 Lt Gg Hall has the Deck & Comm. 0744 C/S 12.3 Kts.

Lt Jg JE Horton USN

08-12 Underway as before. 0822 C/S 12.8 Kts. 0906 Commenced maneuvering on various courses and speeds in preperation for Exercises with USS Walker (DD517). 1027 Commenced Exercise 2-23-G Base course 180°, speed 6.7 Kts. 1031 completed 2-23-G and Commenced Exercise 2-21-G. 1035 Made daily inspection of magazines. Conditions; Normal. 1036 Commenced reversing Course. 1140 Secured from exercise 2-21-G, Released by Walker to proceed on duties assigned. 1146 C/C 015°, speed 6.7 Kts.

Ltjg JC Hall USNR

12-16 Underway as before. 1207 C/S 12.3 KTS. 1315 C/C 025°, 1417 entered Inland Waters. 1420 Commenced steering Base course 333°, at various speeds while leaving sled to 300 feet and entering the Pearl Harbor Channel. 1424 set the special sea and Anchor detail, Captain and Navigator on the Bridge. 1430 passed Buoy #2 to stbd. approximately 100 yards. 1436 passed Buoy #4 abeam to stbd. approximately 100yds. 1445 sled snubed up astern. passed Buoy #8 abeam to stbd approximately 50yds. Commenced approach to berth alfa 5. 1456 moored to Berth alfa Five (A-5) U.S. Naval station, pearl Harbor, Hawaii 1500 std. mooring lines doubled. Secured the special Sea and Anchor detail. Set the regular inport watch. 1520 4 Tm cast off with sled in tow.

CWO JC Hollis. USN

16-20 Moored as Before: 1800 Set material condition Yoke (modified). 1815 mustered the duty fire party. Absentees: None.

CWO JC Hollis, USN

20-24 Moored as Before.

CWO JC Hollis, USN

APPROVED: EXAMINED:

LT. James R. Williams U.S.N. COMMANDING Ltjg RS Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE THURSDAY 27 AUGUST, 19 64
(Day) (Date) (Month)

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	050	2	10	Sct	2990	78	72	3	2000	Cu			
02	050	3	10	Sct	2990	76	71	4	2000	Cu			
03	040	2	10	Sct	2990	74	71	2	2000	Cu			
04	040	2	10	Sct	2990	73	71	2	2000	Cu			
05	040	1	10	Sct	2989	74	70	2	2000	Cu			
06	040	1	10	Sct	2990	74	70	2	2000	Cu			
07	040	1	10	Sct	2994	74	71	2	2000	Cu			
08	040	1	10	Sct	2994	79	73	2	2000	Cu			
09	040	1	10	Sct	2995	81	75	2	2000	Cu			
10	040	1	10	Sct	2996	81	76	2	2000	Cu			
11	040	1	10	Sct	2996	82	76	2	2000	Cu			
12	040	1	10	Sct	2992	85	76	2	2000	Cu			
13	050	1	10	Sct	2992	84	75	2	2000	Cu	81	090	2
14	050	1	10	Sct	2991	83	74	2	2000	Cu	81	090	2
15	050	3	10	Sct	2991	83	74	2	2000	Cu	81	090	2
16	050	2	10	Sct	2991	83	74	2	2000	Cu	81	090	2
17	050	2	10	Sct	2993	82	73	4	2000	Cu			
18	050	2	10	Bkn	2991	82	73	6	2000	Cu			
19	040	2	10	Bkn	2989	82	73	6	2000	Cu			
20	040	2	10	Bkn	2989	82	73	6	2000	Cu			
21	040	2	10	Bkn	2989	82	73	6	2000	Cu			
22	040	2	10	Bkn	2988	80	74	6	2000	Cu			
23	040	2	10	Bkn	2988	80	74	6	2000	Cu			
24	040	2	10	Bkn	2989	80	74	6	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 42

FUEL CONSUMED 0000-2400: 749

REMARKS

00-04 moored port side to berth alpa Five (A-5) U.S. Naval Station Pearl Harbor, Hawaii with stern mooring lines doubled, material condition Yoke (modified) set. Receiving telephone service from the pier. Ships present include various units of the U.S. pacific Flgt units of allied navies, district and small craft. SOPA is Com Pac Flt.

C.W.O. Jel Hollis, USN

04-08 moored as before. 0745 mustered the crew at Quarters. Absentees: None.

CWO Jel Hollis, USN

APPROVED:

LT. James R. Medlin U.S.N. COMMANDING

EXAMINED:

Stig D. Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Thursday 27 August 1964
(Day) (Date) (Month)

08-12 Moored as before. 0937 Made daily inspection of magazines. Conditions normal. 1115 Commenced preparations for getting underway.

Ltjg J.A. Hall USNR

12-16 Moored as before. 1207 Set the special sea detail. 1211 Completed all preparations for getting underway. Draft forward 14'4", aft 16'3". 1215 Underway in accordance with COMFLTRAGRU Op Order 35-64. Maneuvering to clear the pier. Captain, navigator on the bridge. Steering various courses at various speed standing out of Pearl Harbor. 1235 Secured the special sea detail, base course 153°, base speed 12 kt.

Ltjg J.A. Hall USNR

12-16 (Continued) 1245 c/c to 255° 1246 c/s to 13.3 kts 1317 c/c to 304° 1322 c/c to 280° 1323 LTjg Hall has the deck and the conn. 1336 Commenced Z-10-CC with USS Grasp (ARS-24). Commenced steering various courses at various speeds while conducting Z-10-CC 1452 Secured from Z-10-CC with Grasp 1457 Set the towing detail. 1458 Commenced Z-6-S with USS Grasp (ARS-24) Steering various courses at various speeds while ~~at~~ conducting the exercise 1553 USS Grasp (ARS 24) has USS Abnaki (ATF-96) in tow. ~~1641 Steering various courses at various speeds while going alongside Grasp and taking her in tow 1712 Secured from Z-6-S 1720 Secured~~

Ens C.P. McKenzie, USNR

16-20 Underway as before. 1641 Steering various courses at various speeds while going alongside Grasp and taking her in tow. 1712 Secured from Z-6-S. 1720 Secured the towing detail. 1721 c/s to 13.3 kts 1722 c/c to 085 1753 c/c to 333. 1754 Set the special sea and anchor detail. Steering various courses at various speeds while standing into Pearl Harbor. 1813 Bouy #2 abeam to starboard 1806 Bouy 4 abeam to stbd. 1809 bouy 6 abeam to stbd. 1812 Steering various courses at various speeds while mooring in berth Alfa-Five. 1818 Moored port side to in berth Alfa Five US Naval Station, Pearl Harbor Hawaii with standard mooring lines doubled. 1825 Secured the special sea and anchor detail. SOPA is CincPacFlt.

Ens C.P. McKenzie, USNR

16-20 (Continued) Moored as before.

Ltjg J.A. Hall USNR

20-24 Moored as before.

Ltjg J.A. Hall USNR

APPROVED: EXAMINED:

LT. James R. Williams U.S.N. COMMANDING

Ltjg [signature] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki ATF-96 ZONE DESCRIPTION +10W DATE Friday (Day) 28 (Date) August (Month), 19 64

AT/~~PASSAGE~~ FROM Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	2	10	SCT	2988	80	74	3	2000	Cu			
02	040	3	10	SCT	2989	80	74	3	2000	Cu			
03	040	3	10	SCT	2989	80	74	3	2000	Cu			
04	040	3	10	SCT	2989	80	74	3	2000	Cu			
05	040	5	10	SCT	2990	81	74	3	2000	Cu	81	080	2
06	040	7	10	SCT	2990	81	75	3	2000	Cu	81	080	2
07	040	7	10	SCT	2990	82	75	3	2000	Cu	81	080	2
08	040	8	10	SCT	2990	82	76	3	2000	Cu	81	080	2
09	040	7	10	SCT	2990	83	76	3	2000	Cu	81	080	1
10	040	7	10	SCT	2990	84	76	3	2000	Cu	81	080	1
11	040	6	10	SCT	2989	84	77	3	2000	Cu	81	080	1
12	040	5	10	SCT	2987	85	77	4	2000	Cu	81	080	1
13	040	5	10	SCT	2987	85	74	4	2000	Cu	81	080	1
14	040	7	10	SCT	2984	82	74	4	2000	Cu	81	080	1
15	040	7	10	SCT	2984	82	74	4	2000	Cu	81	080	1
16	040	7	10	SCT	2983	84	73	4	2000	Cu	81	080	1
17	040	7	10	SCT	2982	84	72	4	2000	Cu	81	080	1
18	040	7	10	SCT	2982	82	72	4	2000	Cu	81	080	1
19	040	7	10	SCT	2982	80	72	4	2000	Cu	81	080	1
20	070	7	10	SCT	2983	80	72	4	2000	Cu	81	080	1
21	070	7	10	SCT	2984	79	72	4	2000	Cu	81	080	1
22	070	6	10	SCT	2984	79	72	4	2000	Cu	82	080	1
23	070	6	10	SCT	2984	79	72	4	2000	Cu	82	080	1
24	070	6	10	SCT	2984	79	72	4	2000	Cu	82	080	1

POSITION	ZONE	TIME
0800 L 20-58.8N BY 3		
λ 157-49.7W BY 3		
1200 L 20-43.5N BY 3		
λ 157-41.8W BY 3		
2000 L 20-42N BY 3		
λ 157-29.7W BY 3		

LEGEND: 1 - CELESTIAL, 2 - ELECTRONIC, 3 - VISUAL, 4 - D. R.

CURRENT DATA

FROM 1200 (ZT) 8/28/64 (Date)
TO 2000 (ZT) 8/28/64 (Date)
SET 240
DRIFT .3

POSITION BETWEEN FIXES

MID. L 20-42-45N
MID. λ 157-36.2W

MILES STEAMED 0000-2400: 134.2

FUEL CONSUMED 0000-2400: 2331

REMARKS

00-04 Moored port side to berth Alfa five (A-5) U.S. Naval Station, Pearl Harbor, Hawaii with stand-ard mooring lines doubled. ~~Sez Series~~ fastey target JH sled five nine zero (590) alongside to starboard. Receiving potable water and telephone services from the pier. Material condition Yoke (modified) set. Ships present include various units of the U.S. Pacific Fleet, service, district and small craft. SOPA is CINCPACFLT.

LTjg JA Hall USNR

04-08 Moored as before. 0415 Commenced preparations for getting underway. 0440 Set the special sea detail. 0451 Completed preparations for getting underway. Captain, Navigator on the bridge. Draft:

APPROVED: LT. James R. Williams U.S.N. COMMANDING

EXAMINED: LTjg RS Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 FRIDAY (Day) 28 (Date) AUGUST (Month), 19 64

Secured 14'4", aft 16'3". 0542 Underway in accordance with COMFLTSAGDA OP-Order 53-64. Maneuvering to clear the pier. Steering various courses at various speed standing out of Pearl Harbor. 0607 Towed target sled 590 to 900 feet. 0609 Secured the specified detail, base course 155°, base speed 9.5 kts. 0611 0616 C/C to 160°, C/S to 13.3 kts, entered OPA international waters. 0624 C/S to 13.8 kts.

Lt; J.C. Hall USNR

08-12 Underway as before. 0809 C/S 9.5 Kts. 0811 streamed sled to 3400 ft. C/S 6.7 Kts. Base course 135°, at various speeds. 0937 made daily inspection of magazines. Conditions: Normal. 0954 Commenced Exercise with USS PHILIP (DD-498) Z-21-G. 1033 Completed Z-21-G. 1049 Commenced Z-23-G. 1055 Completed Z-23-G. 1105 Base course 170° - speed 5.0 Kts. 1140 Commenced Gun Calibration Firing (16 Rounds) with 50 secured from USS JENKINS (DD 447) 1159 Secured Calibration Firing by Jenkins. 1159 Completed weekly Test and inspection of magazine sprinkler System. Test. Satisfactory.

CWO Jr. Hollis, USN

12-16 UNDERWAY AS BEFORE 1222 C/S TO 9.5 KNTS C/C TO 150° USS JENKINS (DD-447) COMMENCED GUNNERY EXERCISE Z-23-G. 1223 C/S TO 12.3 KTS. 1231 C/S TO 5 KTS C/C TO 170° USS JENKINS COMPLETED Z-23-G 1256 USS JENKINS COMMENCED CALIBRATION FIRING 1304 USS JENKINS COMPLETED CALIBRATION FIRING. 1315 C/S TO 9.5 KTS USS JENKINS COMMENCED GUNNERY EXERCISE Z-21-G 1317 C/S TO 12.5 KTS. 1336 USS JENKINS COMPLETED Z-21-G. C/S TO 5 KTS. 1345 C/S TO 9.5 KTS C/C TO 090° 1354 C/S TO 5 KTS. 1411 C/S TO 9.5 KTS C/C TO 070° USS TAYLOR (DD 468) COMMENCED GUNNERY EXERCISE Z-23-G. 1414 C/S TO 12.3 KTS. 1424 USS TAYLOR COMPLETED Z-23-G. C/C TO 090° C/S TO 5 KTS. 1435 C/S TO 9.5 KTS C/C TO 080°. USS TAYLOR COMMENCED Z-25-G. 1436 C/C TO 110° 1437 USS TAYLOR COMPLETED Z-25-G C/S TO 5 KTS C/C TO 090° 1444 C/S TO 9.5 KTS. 1459 C/C TO 270° C/S TO 5 KTS.

LTJG L.E. Horton USN

16-18 Underway as before. 1652 C/C to 060 1653 C/C to 070° C/S to 9.6 Kts 1743 C/S to 5 Kts

Ens C.P. McJennett, USNR

18-20 Underway as before. 1936 C/C to 270°.

Ltjg J.C. Hall, USNR

APPROVED: EXAMINED:

LT. James R. Williams U.S.N. COMMANDING Ltjg D.D. Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ (Day) (Date) (Month) , 19 _____

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY	WEATH-ER	BAROM-ETER	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (Knots)	(Miles)	(Sym-bols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 FRIDAY (Day) 28 (Date) AUGUST (Month), 19 64

20-24 Underway as before: 2001 c/s 6.7 Kts. 2052 Commenced Exercise Z-26-G with USS TAYLOR (DD-468) 2100 c/s 12.3 Kts. 2106 Completed Exercise Z-26-G. 2114 Released by OCE to proceed on duties assigned. c/s 9.5 Kts. c/c 325°, 2115 c/s 6.7 Kts, 2116 commenced heaving in sled to 900 ft. 2132 Sled at 900 ft. on Brake. c/s 9.5 Kts. 2135 c/s 12.3 Kts. 2218 c/c 340°, 2312 Sighted Diamond Head light 358°, 26 miles. 2332 c/c 000°.

CWO J. C. Hollis, USN

APPROVED:

LT. James R. [illegible] U.S.N. COMMANDING

EXAMINED:

Lt(jg) D. D. Rasor U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE SATURDAY (Day) 29 (Date) AUGUST (Month), 19 64

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	4	10	Sct	2984	80	72	3	Low	Cu			
02	040	4	10	Sct	2985	80	72	3	Low	Cu			
03	040	4	10	Sct	2986	80	73	3	Low	Cu			
04	040	4	10	Sct	2988	79	74	3	Low	Cu			
05	040	4	10	Sct	2988	78	73	3	Low	Cu			
06	040	4	10	Sct	2989	78	73	3	Low	Cu			
07	040	5	10	Sct	2989	78	73	3	Low	Cu			
08	040	2	10	Sct	2994	91	79	3	Low	Cu			
09	040	2	10	Sct	2994	91	79	3	Low	Cu			
10	040	2	10	Sct	2994	91	79	3	Low	Cu			
11	040	2	10	Sct	2993	92	80	4	Low	Cu			
12	040	3	10	Sct	2992	93	80	4	Low	Cu			
13	040	3	10	Sct	2991	94	80	4	Low	Cu			
14	040	3	10	Sct	2991	95	81	3	Low	Cu			
15	040	3	10	Sct	2991	95	81	3	Low	Cu			
16	040	3	10	Sct	2990	89	81	3	Low	Cu			
17	040	3	10	Sct	2990	88	81	3	Low	Cu			
18	040	3	10	Sct	2990	86	81	2	Low	Cu			
19	040	3	10	Sct	2990	84	80	2	Low	Cu			
20	040	2	10	Sct	2990	84	77	2	Low	Cu			
21	040	2	10	Sct	2990	84	76	2	Low	Cu			
22	040	2	10	Sct	2990	84	76	2	Low	Cu			
23	040	1	10	Sct	2990	84	76	2	Low	Cu			
24	040	1	10	Sct	2990	84	76	2	Low	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 16

FUEL CONSUMED 0000-2400: 250

REMARKS

ØØ-Ø4. UNDERWAY INDEPENDENTLY IN LOCAL OP-AREAS G-1 AND G-2 WITH SERIES 40 TARGET SLED 590 IN TOW ON 9ØØ FEET OF WIRE, IN ACCORDANCE WITH COMFLTRAGRU OP-ORD 35-62. BASE COURSE 312°. BASE SPEED 12.3 KTS. MATERIAL CONDITION YOKE, READINESS CONDITION V, ENGINEERING CONDITION III AND DAMAGE CONTROL CONDITION III SET. ØØ4Ø C/C TO 298° ØØ51 C/C TO 28Ø° Ø1ØØ C/C TO 3Ø6°. Ø112 C/C TO 315° Ø119 C/C TO 3Ø6° Ø13Ø SET SPECIAL SEA AND ANCHOR DETAIL CAPTAIN AND NAVIGATOR ON THE BRIDGE OOD HAS THE CONN Ø131 C/C TO 334° Ø132 C/S TO 9.5 KTS COMMENCED HEAVING IN SLED TOW WIRE. COMMENCED MANEUVERING ON VARIOUS COURSES AND SPEED TO CONFORM WITH PEARL HARBOR CHANNEL Ø142 PEARL HARBOR CHANNEL BUOY #2 ABEAM TO STBD. 1ØØ YDS. Ø148 BUOY #4 ABEAM TO STBD 1ØØ YDS. Ø155 BUOY #6 ABEAM TO STBD - 5Ø YDS, COMMENCED MANEUVERING TO APPROACH AND MOOR IN BERTH A-5, US NAVAL

APPROVED: LT. James R. Williams U.S.N. COMMANDING

EXAMINED: Stig D S Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (CATF-96) SATURDAY (Day) 29 (Date) Aug. (Month) 1964

00-04 (CONT) BASE Pearl Harbor Hawaii. 0211 Moored portside to berth ALFA-Five, U.S. NAVAL BASE Pearl Harbor Hawaii with STANDARD MOORING LINES doubled. Ships present include VARIOUS UNITS of THE U.S. PACIFIC FLEET. SOPA IS CINCPACFLT.

Ens ~~Ltjg~~ C.P. McKenzie, USNR

04-08 MOORED AS before

Ens C.P. McKenzie, USNR

08-12 Moored as before. 0806 YTL-553 AWAY from the STBD side with SERIES 40 sled No. 590 in TOW. 0811 SETTLE special sea and anchor detail. Draft fwd 14'1"; aft 16'4". 0820 CAPTAIN and NAVIGATOR ON THE BRIDGE, OOD HAS THE CONN. 0842 COMENCED MANEUVERING TO clear pier. 0844 Underway in accordance verbal orders of PORT SERVICES OFFICER. 0845 COMMENCED STEERING VARIOUS COURSES AT VARIOUS speeds TO CONFORM with Pearl Harbor. ~~0850 MOORED PORTSIDE TO~~ 0938 MOORED portside TO BERTH SIERRA SEVENTEEN forward, U.S. NAVAL SUBMARINE BASE, Pearl Harbor Hawaii with STANDARD MOORING LINES doubled. Ships PRESENT include VARIOUS UNITS of US. Pacific Fleet yard and DISTRICT CRAFT. SOPA is CINCPACFLT. 0945 Secured THE Special Sea AND ANCHOR detail 1010. Made daily INSPECTION of MAGAZINE; CONDITIONS NORMAL.

CWO JD Hollis, USN

12-16. MOORED AS before.

CWO JD Hollis, USN

16-20 MOORED AS before. 1800 SET MATERIAL CONDITION YOKE (Modified)

CWO JD Hollis, USN

20-24 MOORED AS before.

CWO JD Hollis, USN

APPROVED: LT. James E. Sullivan U.S.N. COMMANDING

EXAMINED: Ltjg DS Mason, U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10W DATE Sunday (Day) 30 (Date) Aug (Month), 19 64

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	046	1	10	Sct	2990	80	74	3	2000	Cu			
02	040	1	10	Sct	2990	80	74	4	2000	Cu			
03	040	1	10	Sct	2990	81	74	4	2000	Cu			
04	040	3	10	Sct	2990	82	74	4	2000	Cu			
05	040	3	10	Sct	2991	82	74	4	2000	Cu			
06	040	3	10	Sct	2991	82	74	4	2000	Cu			
07	040	3	10	Sct	2991	82	74	4	2000	Cu			
08	070	3	10	Sct	2996	86	76	4	2000	Cu			
09	070	3	10	Sct	2996	86	76	4	2000	Cu			
10	070	3	10	Sct	2996	87	77	4	2000	Cu			
11	070	4	10	Sct	2996	87	78	4	2000	Cu			
12	070	5	10	Sct	2996	88	79	4	2000	Cu			
13	070	5	10	Sct	2999	88	81	4	2000	Cu			
14	070	5	10	Sct	2999	88	81	4	2000	Cu			
15	070	3	10	Sct	2999	88	80	4	2000	Cu			
16	070	3	10	Sct	2999	87	80	4	2000	Cu			
17	070	3	10	Sct	2999	86	79	4	2000	Cu			
18	070	3	10	Sct	2999	84	79	4	2000	Cu			
19	070	3	10	Sct	2998	80	79	4	2000	Cu			
20	070	4	10	Sct	2994	83	74	3	2000	Cu			
21	070	3	10	Sct	2993	83	74	3	2000	Cu			
22	070	3	10	Sct	2994	83	74	3	2000	Cu			
23	070	3	10	Sct	2994	82	74	3	2000	Cu			
24	070	3	10	Sct	2994	82	73	3	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 0

REMARKS

00-04 Moored portside to berth Sierra Seventeen fwd, U.S. Naval Submarine Base, Pearl Harbor, Hawaii with standard mooring lines doubled. Material condition yoke Modified is set. Receiving electrical power, potable water & telephone services from the pier. Ships present include various Units of the U.S. Pacific Fleet, yard & district craft. SOPA is CINCPACFLT.

CWO J. L. Hollis, USN

04-08 Moored as before. 0745 Mustered the crew on stations absentees none.

CWO J. L. Hollis, USN

APPROVED: Lt. James R. Wilkinson U.S.N. COMMANDING

EXAMINED: Stgt R. S. Mason, U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 SUNDAY 30 AUGUST 19 64
(Day) (Date) (Month)

0800-1200 MOORED AS BEFORE 1105 MADE DAILY INSPECTIONS OF MAGAZINES: CONDITIONS; NORMAL

LTJG LE Horton USN

1200-1600 MOORED AS BEFORE.

LTJG LE Horton USN

1600-2000 MOORED AS BEFORE 1800 SET MODIFIED MATERIAL CONDITION YOKE.

LTJG LE Horton USN

2000-2400 MOORED AS BEFORE

LTJG LE Horton USN

APPROVED: EXAMINED:

Lt. James R. Williams U.S.N. COMMANDING Lt(jg) R S Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE MONDAY (Day) 31 (Date) AUGUST (Month), 19 64

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	070	3	10	Sct	2993	82	73	4	2000	Cu			
02	070	3	10	Sct	2992	82	72	4	2000	Cu			
03	070	3	10	Sct	2991	81	72	4	2000	Cu			
04	070	3	10	Sct	2990	81	72	4	2000	Cu			
05	070	3	10	Sct	2990	81	72	4	2000	Cu			
06	070	2	10	Sct	2990	81	72	4	2000	Cu			
07	070	2	10	Sct	2990	81	72	3	2000	Cu			
08	070	2	10	Sct	2991	~~82~~	72	3	2000	Cu			
09	070	2	10	Sct	2993	82	72	3	2000	Cu			
10	070	2	10	Sct	2995	85	75	3	2000	Cu			
11	070	1	10	Sct	2994	85	75	3	2000	Cu			
12	070	1	10	Sct	2993	89	77	3	2000	Cu			
13	070	1	10	Sct	2991	91	78	3	2000	Cu			
14	070	1	10	Sct	2989	92	78	4	2000	Cu			
15	070	1	10	Sct	2988	92	78	4	2000	Cu			
16	070	1	10	Sct	2988	90	77	4	2000	Cu			
17	070	1	10	Sct	2987	89	76	4	2000	Cu			
18	070	1	10	Sct	2987	87	76	4	2000	Cu			
19	070	1	10	Sct	2987	85	76	4	2000	Cu			
20	070	1	10	Sct	2988	83	75	4	2000	Cu			
21	070	1	10	Sct	2988	81	73	4	2000	Cu			
22	070	1	10	Sct	2988	80	71	4	2000	Cu			
23	070	1	10	Sct	2989	80	71	4	2000	Cu			
24	070	1	10	Sct	2989	80	71	4	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 MOORED PORT SIDE TO IN BERTH SIERRA SEVENTEEN, US SUBMARINE BASE, PEARL HARBOR HAWAII, WITH STANDARD MOORING LINES DOUBLED. MODIFIED MATERIAL CONDITION YOKE SET. RECEIVING ELECTRICIAL POWER, FRESH WATER, AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMASW FOR PAC

LTJG LE Horton USN

04-08 MOORED AS BEFORE 0645 MUSTERED THE CREW AT QUARTERS: ABSENTEES NONE.

LE Horton LTJG USN

APPROVED: LT. James R. Williams U.S.N. COMMANDING

EXAMINED: Lt(jg) P S Mason U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Chanpi (ATF-96) Monday (Day) 31 (Date) August (Month) 19 64

08-12 Moored as before. 0930 made daily inspection of magazines. Conditions: Normal.

Ltjg JE Hall, USNR

12-16 Moored as before.

Ltjg JE Hall, USNR

16-20 Moored as before. 1800 Set material condition zone (modified).

Ltjg JE Hall, USNR

20-24 Moored as before.

Ltjg JE Hall, USNR

APPROVED:

Lt. James R. Calhoun U.S.N. COMMANDING

EXAMINED:

Lt(jg) D S Mason U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ , 19 _____
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

APPROVED:

_____ U.S.N. COMMANDING

EXAMINED:

_____ U.S.N. NAVIGATOR